

RENTAL CATALOG



BACKHOE LOADER

JCB 3CX-14

About Us

Built by contractors, for contractors.

Founded in 2015 by construction industry veterans Jabbok and Willy Schlacks, EquipmentShare® is reshaping the built environment by empowering the industries that build our world. Our mission is to deliver innovative tools and technology that enhance productivity, safety and efficiency on every jobsite.

Decades of experience in construction have shaped our culture to be obsessive about delivering tangible value. We solve our customers' challenges with incredibly responsive support and cutting-edge technology, building for the modern era. With our nationwide network and advanced fleet management platform, T3®, we offer a smarter, faster way to rent and manage equipment while giving you total control and visibility over your assets, people and resources.

Today, EquipmentShare is the fastest-growing equipment solutions provider in the U.S., with hundreds of branches from coast to coast. Join us as we redefine what's possible with next-generation equipment and leading fleet management solutions.





Equipment Share

Equipment Share
A Better Way To Rent
//
(888) 80-RENTS
equipmentshare.com

Air Handlers	87
Cooling Tower	87
Desiccant Dehumidifiers	88
Central Heating Units	88
Direct Fired Heaters	89
Indirect Fired Heaters	90
Makeup Air Heaters	91
Radiant Heaters	91
Electric Heaters	92
Flameless Heaters	93
Hydronic Surface Heaters	93
Heater Accessories	94
Air Scrubbers	94
Fans	95
LGRs	95
COMPRESSED AIR	
Diesel Air Compressors	98
Electric Air Compressors	100
Dryers and Aftercoolers	101
FLUID SOLUTIONS	
Air Operated Diaphragm Pumps	104
Pump Hoses and Accessories	104
Diesel Centrifugal High Head Pumps	105
Diesel Centrifugal Pumps	106
Diesel Chopper Pumps	107
Diesel Double Diaphragm Pumps	107
Diesel Piston Wellpoint Pumps	108
Diesel Positive Displacement Pumps	108
Diesel Rotary Wellpoint Pumps	109
Electric Centrifugal High Head Pumps	109
Electric Centrifugal Pumps	110
Electric Piston Wellpoint Pump	110
Electric Submersible Pumps	111
Filtration Systems	112
Gasoline Driven Pumps	113
Hydraulic Submersible Power Packs and Pumps	114
Variable Frequency Drives	115
POWER SOLUTIONS	
Diesel Generators	118
Energy Storage Systems	119
Panels	120
Load Banks	122
Natural Gas Generators	123
SAFETY, TESTING AND COMMUNICATION	
Communications	130
Gas Detection	131
Personal Protective Equipment	131
Bolt Testing	132
Confined Space	132
Communications	133
Pipe Evaluation	134
Pipe Jeep/Holiday Detector	134
Test Pump	135
Meters	136
Industrial Blinds	137
EVENT AND SITE SERVICES	
Storage, Tanks and Containers	140
Tents and Shelters	141
Turnstiles	142
Site Services	144
Jobsite Equipment	144
Ground Protection	145
WELDING, CUTTING AND PIPE FABRICATION	
Engine Driven Welders	148
Rod Ovens	149
Fume Extraction	149
Suitcase Welders	150

TABLE OF CONTENTS

Weld Cleaner	150
MIG Welders	151
TIG Welders	151
Inverter Welders	152
Stud Welders	153
Plasma Cutters	153
Pipe Joining	154
Pipe Joining — Roll Groovers	154
Pipe Threaders	155
Geared Threaders	155
Pipe Cutting	156
Pipe Expanders	156
Pipe Fusion	157
Milling Guns	158
Pipe Beveling — Electric Portable	158
Pipe Beveling — Saddle	159
Pipe Beveling — Bands	159
Welding Accessories	160
Pipe Handling	161
Pipe Handling Clamps	163
Pipe Jack	163
<hr/>	
TORQUING, HYDRAULIC AND ELECTRIC POWER TOOLS	Bolt Tensioning 166
	Hydraulic Wrenches — Square Drive 167
	Hydraulic Wrenches — Low Profile 168
	Hydraulic Torque Wrench Pumps 168
	Wrench Torque Guns 169
	Air Regulators 169
	Battery Torque Wrenches 170
	Manual Torquing 171
	Shear Wrenches 172
	Hydraulic Manifolds 173
	Hydraulic Tool Pumps 174

Hydraulic Jacks	174
Hydraulic Lift Cylinders	175
Manual, Electric and Hydraulic Punches	178
Nut Splitters	179
Flange Spreaders	180
Hand Tools	180
Knockout Punch Kits	181
Sync Puller	181
Cable Pullers and Feeders	182
Pulling Accessories	183
Reels and Rollers	184
Electric Crimpers	185
Cable Cutters	185
Conduit Benders	186
PVC Benders	187
Bearing Heaters	187
Magnetic Drills	188
Drill Press	189
Drills and Rotary Hammers	190
Surface Preparation	191
Demolition Hammers	192
Saws and Grinders	193
Impacts	196
Lasers and Surveying Equipment	197
<hr/>	
SANITATION SOLUTIONS	Restrooms 200
	Sanitation 203
<hr/>	
STORAGE, TANKS AND CONTAINERS	Connex Boxes 206
	Fluid Tanks 208
	Fuel Cells 209
	Frac Tanks 210
	Transfer Tanks 210
	Roll-Off Boxes 211

TRENCH SAFETY	Trench Steel Boxes	214
	Trench Steel Frame Aluminum Boxes	215
	Trench Manhole Boxes	216
	Trench Vertical Shores	216
SCAFFOLDING AND LADDERS	Ladders	219
	Rescue Ladder Kit	219
INDUSTRIAL LINE CARD		220
GEARHUB™		222

DIVISIONS

 **ADVANCED SOLUTIONS**

 **CORE SOLUTIONS**

 **SITE SOLUTIONS**

*Icons indicate which division each section falls under.



A BETTER WAY TO RENT[®]

T3[®] combines industry-leading hardware and software to successfully manage all your rentals.

Control Costs

- On/Off-rent equipment directly from the app to avoid unnecessary charges.
- Minimize service events with proactive maintenance and real-time diagnostics from our service technicians.
- Streamline billing with instant, direct invoicing for transparent and accurate charges.

Maximize Rental Utilization


- Gain in-the-moment insights into location, status, usage and delivery status.
- Access over 70 customizable reports.

Enhance Visibility

- Monitor your entire rental and owned fleet on a single page.
- Track live locations, statuses and delivery updates of all assets 24/7, from anywhere.

Improve Access Control

- Use the T3 Cloud-Connected Keypad to manage access and prevent theft.
 - Set up geofencing and receive alerts for unauthorized usage.
-



Interested in learning how T3 can work for more than your rentals?

Scan the code to schedule a demo with a T3 salesperson. Together, we'll discuss the T3 solution that's right for your team.



Keypad


USERS WITH ACCESS:
CODY, ALEX, JAMIE
LAST TRIP: 4:57PM
LAST USER: ALEX



Asset Utilization

08/08/2024 - 08/22/2024

DAYS USED: 11
DAYS IDLE: 4
APPROX. USAGE: 2 DAYS



ON SITE

TYPE: SCISSOR LIFT
HOURS: 980
BATTERY: LOW





CORE SOLUTIONS

Aerial Work Platforms

Agriculture and Landscaping

Compaction

Concrete and Masonry

Earthmoving




Forklifts and Material Handling

Lighting and Security

Surface Preparation and Cleaning

Vehicles and Trailers

AERIAL WORK PLATFORMS





ARTICULATING BOOM LIFT

JLG 450AJ



ROUGH TERRAIN SCISSOR LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	EXTENDED PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Rough Terrain Scissor Lift, 26'–29'	SKYJACK SJ6826 RT	26'	1,250 lbs	4' 8" x 8'	5'	6,460 lbs	5' 9.5"
Rough Terrain Scissor Lift, 30'–35'	SKYJACK SJ6832 RT	32'	1,000 lbs	4' 8" x 8'	5'	7,660 lbs	5' 9.5"
Rough Terrain Scissor Lift, 36'–45'	GENIE GS-4069 RT	40' 3"	800 lbs	9' 2" x 5' 3"	5'	10,392 lbs	5' 9"
Rough Terrain Scissor Lift, 30'–35' Wide Deck	GENIE GS-3390 RT	33'	2,500 lbs	12' 11" x 6'	5'	11,977 lbs	7' 8"
Rough Terrain Scissor Lift, 30'–35' Wide Deck High Capacity	SKYJACK SJ9233 RT	33'	2,750 lbs	5' 11" x 14' 3"	5' (Single Extension)	13,479 lbs	92"
Rough Terrain Scissor Lift, 36'–45' Electric	JLG ERT4069	40' 3"	800 lbs	10' 10" x 5' 3"	3' 6"	10,560 lbs	5' 9"
Rough Terrain Scissor Lift, 36'–45' Wide Deck	Genie GS-5390 RT JLG 430LRT JLG RT4394 SKYJACK SJ8841RT	Genie: 43'	1,500 lbs	7' 2" x 1255' 7"	Genie: 5'	12,894 lbs	Genie: 7' 8"
Rough Terrain Scissor Lift, 50'–55' Wide Deck	GENIE GS-5390 RT	53'	1,500 lbs	12' 11" x 6'	5'	16,567 lbs	7' 6"
Rough Terrain Scissor Lift, 60'–65' Wide Deck	MEC 6092RT	60'	1,200 lbs	7' 3"	4'	21,780 lbs *varies	7' 8"
Hybrid Rough Terrain Scissor Lift, 36'–45' Wide Deck	HAULOTTE HS4390 E PRO	42' 8"	1,654 lbs	12' 10" x 6' 2"	3' 3"	16,577 lbs	7' 7"
Hybrid Rough Terrain Scissor Lift, 50'–55' Wide Deck	HAULOTTE HS5390	52' 6"	1,654 lbs	12' 10" x 6' 2"	3' 3"	17,746 lbs	7' 7"



TELESCOPIC BOOM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Telescopic Boom Lift, 40' IC	JLG 400S	40'	RSTD - 1,000 lbs UNRSTD - 600 lbs	3' x 8'	14,520 lbs	7' 7"
Telescopic Boom Lift, 45'–46' IC	JLG 460SJ	46'	UNRSTD - 600 lbs	3' x 8'	16,600 lbs	7' 7"
Telescopic Boom Lift, 60' IC	JLG 600S	59' 8"	RSTD - 1,000 lbs UNRSTD - 600 lbs	3' x 8'	22,700 lbs	8' 2"
Telescopic Boom Lift, 65'–67' IC	JLG 660SJ GENIE S-65 XC	66'	RSTD - 1,000 lbs UNRSTD - 660 lbs	3' x 8'	25,160 lbs	8' 2"
Telescopic Boom Lift, 80' IC	JLG 800S	80'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	33,030 lbs	8' 2"
Telescopic Boom Lift, 85'–86' IC	JLG 860SJ	86'	RSTD - 750 lbs UNRSTD - 500 lbs	3' x 8'	36,888 lbs	8' 2"
Telescopic Boom Lift, 120'–125' IC	JLG 1200SJ	125'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	40,900 lbs	8' 2"
Telescopic Boom Lift, 135' IC	JLG 1350SJ	135'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	45,000 lbs	8' 2" (Axles Retracted)
Telescopic Boom Lift, 150' IC	JLG 1500SJ	150'	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	48,000 lbs	8' 2" (Axles Retracted)
Telescopic Boom Lift, 180'–185' IC	JLG 1850SJ	185' 7"	RSTD - 1,000 lbs UNRSTD - 500 lbs	3' x 8'	59,900 lbs	8' 2" (Axles Retracted)
Tracked Telescopic Boom Lift, 60'–70' IC	GENIE S-65 TRAX	65'	RSTD - 1,000 lbs UNRSTD - 660 lbs	3' x 8'	~27,600–29,000 lbs *may vary	8' 6"

RSTD = Restricted
UNRSTD = Unrestricted



ARTICULATING BOOM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Articulating Boom Lift, 30'-35' IC	GENIE Z-34 IC	34' 7"	UNRSTD - 550 lbs	4' 8" x 2' 6"	11,200 lbs	5' 8"
Articulating Boom Lift, 40'-45' IC	JLG 450AJ	45'	UNRSTD - 550 lbs	2' 6" x 6'	12,650 lbs	7' 9"
Articulating Boom Lift, 60'-65' IC	JLG 600AJ	60' 7"	UNRSTD - 500 lbs	3' x 8'	22,691 lbs	8'
Articulating Boom Lift, 80'-85' IC	GENIE Z-80/60	84'	UNRSTD - 500 lbs	8' x 3'	37,500 lbs	8' 2"
Articulating Boom Lift, 125' IC	JLG 1250AJP	125'	500 lbs	3' x 8'	44,000 lbs	8' 2"
Articulating Boom Lift, 135' IC	GENIE Z-135/70	135'	UNRSTD - 600 lbs	3/2'6" x 8/6'	46,500 lbs	8' 2"
Articulating Boom Lift, 150' IC	JLG 1500AJP	150'	600 lbs	3' x 8'	57,380 lbs	8' 2"
Hybrid Articulating Boom Lift, 40'-45'	GENIE Z-45 FE	45' 8"	660 lbs	6' x 2' 6"	14,460 lbs	7' 6"
Hybrid Articulating Boom Lift, 60'-65'	GENIE Z-60/37 FE	59' 7"	500 lbs	3/2'6" x 8/6'	17,100 lbs	8' 2"

UNRSTD = Unrestricted



ELECTRIC BOOM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Electric Articulating Boom Lift, 30'-34'	GENIE Z-30/20N RJ	29' 2"	UNRSTD - 500 lbs	3' 10" x 2' 6"	14,330 lbs	3' 11"
Electric Articulating Boom Lift, 40' Narrow	GENIE Z-40/23N RJ	40' 5"	UNRSTD - 500 lbs	4' 8" x 2' 6"	15,230 lbs	4' 11"
Electric Articulating Boom Lift, 45' Wide	GENIE Z-45/25J DC	45' 9"	UNRSTD - 500 lbs	6' 0" x 2' 6"	16,315 lbs	5' 10.3"
Electric Articulating Boom Lift, 60'-65'	JLG E600JP	60' 4"	500 lbs	2' 6" x 6'	15,750 lbs	7' 11"
Electric Telescopic Boom Lift, 60'-66'	JLG EC600SJ	60' 4"	500 lbs	2' 6" x 6'	17,210 lbs	7' 11"

* UNRSTD = Unrestricted



ATRIUM LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Atrium Lift, 60'–65'	JLG X600AJ	59' 3"	500 lbs	2' 6" x 4' 7"	6,571 lbs *may vary	2' 7"
Atrium Lift, 70'–80'	JLG X770AJ	77' 5"	500 lbs	4' 10" x 2' 6"	9,665 lbs	3' 3"
Atrium Lift, 100'	JLG X1000AJ	100'	500 lbs	5' 3" x 2' 4"	16,790 lbs	3' 11"



TOWABLE BOOM LIFTS



CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Towable Boom Lift, 30'-35'	JLG T350	34' 5"	500 lbs	2' 6" x 4'	3,600 lbs	4' 9"
Towable Boom Lift, 50'	JLG T500J	50'	500 lbs	2' 6" x 4'	5,200 lbs	5' 7"
Towable Boom Lift, 50' Hybrid	GENIE TZ-50 Hybrid	49' 6"	500 lbs	3' 8" x 2' 2.8"	4,400 lbs	5' 6"



VERTICAL MAST LIFTS

CLASS	MODEL	MAX PLATFORM HEIGHT	CAPACITY	PLATFORM SIZE	EXTENDABLE PLATFORM SIZE	WEIGHT	OVERALL WIDTH
Drivable One Man Lift, 10'-19'	GENIE GR-12	11' 4"	500 lbs	2' 11.5" x 2' 5.5"	1' 8"	~1,581 lbs	2' 5.5"
Pusharound Vertical Mast Lift 7'	JLG Ecolift 70	7'	330 lbs	2' 9" x 2' 1"	-	672 lbs	2' 4"
Pusharound Vertical Mast Lift 10'-20'	JLG 1030P	10' 2"	550 lbs	5' x 2' 6"	-	753 lbs	2' 6"
Pusharound Vertical Mast Lift, 30'	GENIE AWP-30S	29' 6"	360 lbs	2' 3" x 2' 2"	-	777 lbs	2' 5"
Pusharound Vertical Mast Lift 40'	GENIE AWP-40S	40' 3"	300 lbs	2' 3" x 2' 2"	-	1,040 lbs	2' 5"
Vertical Mast Lift Single Operator, 12'	JLG 1230ES	12'	500 lbs	4' 2" x 2' 3"	-	1,740 lbs	2' 6"
Vertical Mast Lift Single Operator, 15'-16'	GENIE GR-15	14' 8"	500 lbs	4' 7" x 2' 5.5"	1' 8"	2,192 lbs	2' 5.5"
Vertical Mast Lift Single Operator, 20'	GENIE GR-20	19' 9"	350 lbs	2' 11" x 2' 5.5"	1' 8"	2,513 lbs	2' 7.5"
Vertical Mast Lift Single Operator, 25'	MEC MME25	25'	350 lbs	2' 5.5" x 2' 4.5"	1' 9"	3,310 lbs	2' 7.5"
Vertical Mast Lift with Jib, 26'	JLG Toucan 26E	26' 5"	500 lbs	2' 5" x 3'	-	6,834 lbs	3' 3"
Vertical Mast Lift with Jib, 30'	MEC MME30-RJ	30'	500 lbs	3' x 2'	-	6,600 lbs	3' 4"

AGRICULTURE AND LANDSCAPING





STUMP GRINDER

BARRETO ES30SGB



COLUMBIA
PAYLOADER 4X



POLARIS
PRO XD



KUBOTA
RTVX2C

UTILITY VEHICLES

CLASS	MODEL	SEATING CAPACITY	PAYLOAD
Burden Carrier 4 Wheel, 2-3 Passenger Electric	Columbia Vehicle Group Payloader 2X	2-3	1,100 lbs
Burden Carrier 4 Wheel, 4-6 Passenger Electric	Columbia Vehicle Group Payloader 4X	4-6	1,100 lbs
Utility Vehicle 2-3 Passenger Electric, Open ROPS	Columbia Vehicle Group Journeyman 2X	2-3	800 lbs
Utility Vehicle 4-6 Passenger Electric, Open ROPS	Columbia Vehicle Group Journeyman 2+2	4-6	800 lbs
Utility Vehicle 2-3 Passenger Gas, Open ROPS	Club Car CA1500G	2-3	1,900 lbs
Utility Vehicle 2-3 Passenger Gas, Open ROPS Half Doors	Polaris Pro XD Mid Sized Gas	2-3	946 lbs
Utility Vehicle 2-3 Passenger Diesel, Open ROPS	JOHN DEERE HPX815E (Canopy)	2-3	1,000 lbs
Utility Vehicle 4-6 Passenger Diesel, Open ROPS	Kubota RTVX4	4-6	1,100 lbs
Utility Vehicle 4-6 Passenger Diesel, Open ROPS Half Doors	Polaris Pro XD Crew	4-6	1,850 lbs
Utility Vehicle 2-3 Passenger Gas, Cab Heat Only	Polaris Pro XD Mid Sized Cab Heat only	2-3	946 lbs
Utility Vehicle 4-6 Passenger Diesel, Cab Heat Only	JOHN DEERE XUV855M S4 Cab Heat Only	4-6	1,000 lbs
Utility Vehicle Luxury 2-3 Passenger Gas, Cab Heat and AC	Polaris Ranger XP1000 Northstar	2-3	1,275 lbs
Utility Vehicle Luxury 2-3 Passenger Diesel, Cab Heat and AC	Kubota RTVX2C	2-3	1,100 lbs
Utility Vehicle Luxury 4-6 Passenger Gas, Cab Heat and AC	Polaris Ranger XP1000 Northstar Crew	4-6	1,230 lbs



COMMERCIAL MOWERS


CLASS	MODEL	SEATING CAPACITY
Commercial Zero Turn Mower 50–54" Deck	BOBCAT ZT5000 52"	2-3
Commercial Zero Turn Mower 60–65" Deck	BOBCAT ZT5000 61"	4-6
Commercial Zero Turn Mower 70–75" Deck	BOBCAT ZT7000 72"	2-3



STUMP GRINDERS

CLASS	MODEL	CUTTING DEPTH	CUTTING WIDTH	WEIGHT
Walk-Behind Stump Grinder 30–40 hp	BARRETO ES30SGB	12"	18"	1,700 lbs


COMPACTION





TRENCH ROLLER

WACKER NEUSON RTKx-SC3





WACKER NEUSON
BS60-4AS



DYNAPAC
DRQ30



WACKER NEUSON
WP1550AW

LIGHT DUTY COMPACTION

CLASS	MODEL	WEIGHT	PLATE WIDTH
Jumping Jack Rammer 2500-3600 lbs/Blow	WACKER NEUSON BS60-4As	160 lbs	11"
Plate Compactor Gas Reversible	DYNAPAC DRQ30	622 lbs	21.7"
Plate Compactor Electric Vibratory	WACKER NEUSON DPU90r	1,699 lbs	30"
Plate Compactor Diesel Reversible	WACKER NEUSON DPU6555	545 lbs	28"
Plate Compactor Gas Vibratory	WACKER NEUSON WP1550AW	216 lbs	19.7"



WACKER NEUSON
RD12A



DYNAPAC
CC1200VI

DOUBLE DRUM ROLLERS

CLASS	MODEL	WEIGHT	DRUM WIDTH	DRUM DIAMETER
Ride-On Double Drum Roller, 1.5 ton, 36" Width	WACKER NEUSON RD12A	2,675 lbs	35"	22"
Ride-On Double Drum Roller, 3 ton, 48" Width	DYNAPAC CC 1200 WACKER NEUSON RD24-100	6,500 lbs	47"	32"



SINGLE DRUM ROLLERS



CLASS	MODEL	WEIGHT	DRUM WIDTH	DRUM DIAMETER
Ride-On Single Drum Roller, 5–6 Ton, 54" Width	DYNAPAC CA1300D	12,588 lbs	53"	48"
Ride-On Single Drum Roller, 7–8 Ton, 66" Width	DYNAPAC CA1400D	15,432 lbs	66"	48"
Ride-On Single Drum Roller, 10–12 Ton, 84" Width	DYNAPAC CA2500D / CA30D HAMM HC100i	22,266 lbs	84"	59"





TRENCH ROLLERS

CLASS	MODEL	WEIGHT	DRUM WIDTH
Walk-Behind Trench Roller, 24-34", Pad	WACKER NEUSON RTKx-SC3	3,230 lbs	24–36"
Walk-Behind Trench Roller, 24-34", Pad	DYNAPAC D.ONE	3,516 lbs	24–36"
Walk-Behind Trench Roller, 24-34", Pad	HUSQVARNA LP 9505	3,693 lbs	24–36"


CONCRETE AND MASONRY





GAS POWER CUTTER

HUSQVARNA K 1270





WACKER NEUSON
IRFU57



WACKER NEUSON
M1500



MULTIQUIP
J36H55

CONCRETE PREP AND FINISHING

CLASS	MODEL	OPERATING WEIGHT	POWER SOURCE
Concrete Vibrator Internal High Frequency	WACKER NEUSON IRFU57	56.22 lbs	Electric
Concrete Vibrator Internal High Frequency	WACKER NEUSON IRFU65	66.58 lbs	Electric
Concrete Vibrator 1 hp Motor Electric	MINNICH SD1	14.5 lbs	Electric
Concrete Vibrator 1 hp Motor Electric	MULTIQUIP CV1A	11 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	NORTHROCK 25L2	19 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	NORTHROCK 25N14	20 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	NORTHROCK 25J2	8 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	MULTIQUIP CV2A	12.5 lbs	Electric
Concrete Vibrator 2 hp Motor Electric	WACKER NEUSON M1500	10.8 lbs	Electric
Concrete Vibrator 3 hp Motor Electric	WACKER NEUSON M2500	11.9 lbs	Electric
Concrete Vibrator 3 hp Motor Electric	MULTIQUIP CV3A	13.5 lbs	Electric
Concrete Vibrator Cordless	MILWAUKEE 2911-21	14.3 lbs	Battery
Concrete Vibrator Internal High Frequency	WACKER NEUSON IEC58/120/8	42.3 lbs	Electric
Power Trowel Walk-Behind 36" Gas	MULTIQUIP J36H55	182 lbs	Gas
Power Trowel Walk-Behind 48" Gas	MULTIQUIP B46H90	285 lbs	Gas



MULTIQUIP
B46H90



MULTIQUIP
HBC19B



MULTIQUIP
MB25A

CONCRETE PREP AND FINISHING (CONTINUED)

CLASS	MODEL
Bender Cutter Rebar 3/4" Electric Handheld	MULTIQUIP HBC19B
Bender Rebar 1" Electric Handheld	BN Products DBR-25WH
Bender Rebar 1" Electric Bench	MULTIQUIP MB25A
Bender Rebar 1" Electric Bench	FASCUT 800C
Shear Pocket Hydraulic	GTI PSH05



EDCO
TMS10



EDCO
BB14E



EDCO
MS-20

MASONRY AND TILE SAWS

CLASS	MODEL	CUTTING CAPACITY	WEIGHT
Saw Tile 10"	EDCO TMS10	Max Cut - Diagonally 12", Length 20"	111 lbs
Saw Brick Masonry 14" Electric	EDCO BB14E	Max Cut - Depth 5"	165 lbs
Saw Brick Masonry 20" Electric	EDCO MS-20	Fixed Position 8", Chop Position 16"	440 lbs



SAWS

CLASS	MODEL	CUTTING CAPACITY
Saw Cut-Off Hand 12" Gas	HILTI DSH 600-X	4 3/4"
Saw Cut-Off Hand 14" Gas	STIHL TS420	4.9"
Saw Cut-Off Hand 14" Gas	HILTI DSH 700-X	5"
Saw Cut-Off Hand 16" Gas	HILTI DSH 900-X	6"
Saw Cut-Off Hand 16" Gas	HUSQVARNA K760	16"
Saw Cut-Off Hand 16" Gas	HUSQVARNA K970-16"	5"
Saw Cut-Off Hand 16" Gas	MAKITA EK8100	5 3/4"
Saw Cut-Off Hand 12" Electric	HILTI DCH 300-X	4 23/32"
Saw Cut-Off Hand 14" Electric	HUSQVARNA K4000	5"
Saw Cut-Off Hand 14" Electric	HUSQVARNA K770	5"
Saw Cut-Off Hand 14" Electric	DIAMOND PRODUCTS C14	5"
Saw Cut-Off Hand 14" Gas	HUSQVARNA K970-11"	5"
Saw Concrete 14" Pneumatic Handheld	UNITEC CSH 135	5"



DRILLS

CLASS	MODEL
Drill Core Hand 6" Cordless	MILWAUKEE MXF301-2CP
Drill Core Stand 6" Cordless	MILWAUKEE MXF301-2CXS
Drill Core Hand 6"	HUSQVARNA DM220
Drill Core Hand 6"	HILTI DD150-U
Drill Core Hand 6"	HUSQVARNA DM220
Drill Core Stand 6"	HILTI DD250E
Drill Core Stand 12"	MULTIQUIP DM4096
Drill Core Stand 14"	UNITEC EBM 352/3 PSV
Drill Core Stand 18"	HILTI DD-250
Drill Core Vacuum Pump Small	MILWAUKEE 49-50-0200
Drill Core Vacuum Pump	HILTI DD VP-U
E-Z Drill 2 1/2"	E-Z DRILL 210B




SURFACE PREPARATION AND CLEANING / SUBSTRATE PREPARATION

CLASS	MODEL
Vacuum Concrete Dust	MASTERCRAFT P307A-HEPA
Vacuum Concrete Dust	TEXAS PNEUMATIC TOOLS, INC. TX-DCS-MU5
Vacuum Drum Pneumatic 55 gal 4 Head	TORNADO 98451
Vacuum Wet/Dry Electric 10-12 gal	DAYTON 3VE20
Vacuum Wet/Dry Electric 10-12 gal	DAYTON 45UZ57
Vacuum Wet/Dry Electric 16 gal	RIDGID HD1600
Vacuum Wet/Dry Electric Concrete Dust	HILTI DD-WMS 100
Vacuum Wet/Dry Electric Concrete Dust	HILTI DWP10
Vacuum Concrete Dust	MASTERCRAFT H10QBP
Vacuum Concrete Dust	EDCO VAC-200
Vacuum Concrete Dust	CRATOS SHERPA VACUUM



SURFACE PREPARATION AND CLEANING/SUBSTRATE PREPARATION (CONTINUED)

CLASS	MODEL	CFM/INPUT POWER	REMOVAL RATE
Scabbler Air 5 Head Walk-Behind	EDCO CD-5	160 cfm	250 sq ft/hr
Scabbler Air 5 Head Walk-Behind	TRELAWNY MHS 5	80 cfm	430 sq ft/hr
Scabbler Air 11 Head Walk-Behind	NOVATEK MHS-11	70 cfm	300 sq ft/hr
Blast Pot Abrasive 300 lb	CLEMCO BLASTER 11260	-	-
Blast Pot Abrasive 600 lb	AXXIOM 8624-286-01	-	-
Blast Pot Abrasive 600 lb	POT CLEMCO 2452	-	-
Dust Collector, Industrial, 2" inlet	BLASTRAC BDC22	-	-



SAWS AND GRINDERS

CLASS	MODEL	CAPACITY	RPM
Saw Concrete 7" Electric Handheld	SKILSAW MEDUSAW SPT79-00	2" Cutting Depth, Max	550-3,000 rpm
Saw Concrete Cut-off 16" Handheld Gas	HUSQVARNA K 1270	5.7" Cutting Depth, Max	4,700 rpm
Dual Disk Floor Grinder	EDCO 2EC-NG	21.5" Working Width, 400-500 sq ft/hr Removal Rate	231 rpm



CONCRETE BUGGIES



CLASS	MODEL	OPERATING WEIGHT	CAPACITY	POWER SOURCE
Wheeled Concrete Buggy, Propane	MULTIQUIP WBH-21EFP	1,570 lbs	21 cu ft	Propane
Tracked Concrete Buggy, Gas	TORO MBTX 2500-TS	1,886 lbs	16 cu ft	Gas



CONCRETE AND MORTAR MIXERS

CLASS	MODEL	OPERATING WEIGHT	CAPACITY	POWER SOURCE
Concrete Mixer 12 CF Poly Drum Gas	MULTIQUIP MC12PH	800–1,000 lbs	12 cu ft, 1.5–2 bags	Gas
Mortar Mixer 9 CF Poly Drum Gas	MULTIQUIP WM90PH8	785 lbs	9 cu ft, 2 1/2–3 1/2 bags	Gas
Mortar Mixer 12 CF Poly Drum Gas	MULTIQUIP WM120PHD	1,090 lbs	12 cu ft, 3 1/2–4 bags	Gas

EARTHMOVING





TRACKED SKID LOADER

BOBCAT T62



BACKHOE AND SKIP LOADERS

CLASS	MODEL	WEIGHT	DIGGING DEPTH	CAPACITY
Backhoe Loader 68–74 hp, Extendable Stick	JOHN DEERE 310LEP - Extendable Stick	14,200 lbs	14' 4"	1.0 cu yds
	CASE 580N EP - Extendable Backhoe			
Backhoe Loader 68–74 hp, Standard Stick	JOHN DEERE 310LEP	17,196 lbs	14' 7"	1.3 cu yds
	JCB 3CX-14			
Backhoe Loader 90–99 hp, Extendable Stick	CASE 580SV	19,709 lbs	18' 4"	1.3 cu yds
Backhoe Loader 90–99 hp, Standard Stick	CASE 580N	17,500 lbs	14' 11"	1.03 cu yds
Backhoe Loader 110–115 hp, Extendable Stick	JOHN DEERE 410P Cab Extendable Stick	19,156 lbs	19' 8"	1.31 cu yds
Backhoe Loader 110–115 hp, Standard Stick	JOHN DEERE 410P Cab Standard Stick	18,280 lbs	15' 11"	1.31 cu yds
Skip Loader 60–85 hp	CASE 570N EP	11,134 lbs	-	1.31 cu yds
	JOHN DEERE 210G-EP			



MINI EXCAVATORS

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH	CAPACITY
Mini Excavator 2,500–4,000 lbs	TAKEUCHI TB210R	2,370 lbs	5' 9"	.81 cu ft
Mini Excavator 5,000–6,500 lbs	BOBCAT E26	5,908 lbs	9' 3"	1.89 cu ft
Mini Excavator 7,000–9,000 lbs	BOBCAT E35	8,499 lbs	10' 2"	3.24 cu ft
Mini Excavator 10,000–14,000 lbs	BOBCAT E55	11,357 lbs	11' 6"	4.86 cu ft
Mini Excavator 15,000–20,000 lbs	TAKEUCHI TB290CR	18,630 lbs	15'	20.52 cu ft



TRENCHING AND SHORING

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH
Ride-On Trencher, 45–50 hp	DITCH WITCH RT45A		
	VERMEER RT450	5,375 lbs	5'
	VERMEER RTX450		
Tracked Walk Behind Trencher	TORO TRX-250	1,200 lbs	30"
	BARRETO 13STK		



DOZERS

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH	CAPACITY (BLADE)
Track Dozer 16,000–18,000 lbs, 65–80 hp	JOHN DEERE 450K			
	CASE 650M	16,244 lbs	21"	59.4 cu ft
	JOHN DEERE 450P LGP			
	JOHN DEERE 450P XLT			
Track Dozer 20,000 lbs, 85–95 hp	JOHN DEERE 550K	19,800 lbs	21"	64.8 cu ft
	JOHN DEERE 550K-II			
	JOHN DEERE 550P LGP			
Track Dozer 22,000 lbs, 100–115 hp	JOHN DEERE 650K-II	19,000 lbs	18"	59.4 cu ft
Track Dozer 30,000–32,000 lbs, 125–135 hp	JOHN DEERE 700L	32,088 lbs	21"	129.6 cu ft
Track Dozer 30,000–32,000 lbs, 125–135 hp, SmartGrade 3D GPS integrated	JOHN DEERE 700L LGP SmartGrade 3D GPS Integrated	32,088 lbs	21"	129.6 cu ft
Track Dozer 45,000–55,000 lbs, 215–235 hp	JOHN DEERE 850P	51,313 lbs	28"	170.1 cu ft



TRACK EXCAVATORS

CLASS	MODEL	WEIGHT	MAX DIGGING DEPTH	MAX REACH
Track Excavator 25,000–35,000 lbs	LINK-BELT 145X4	32,100 lbs	18' 1"	27' 2"
Track Excavator 25,000–35,000 lbs, Reduced Tailswing	LINK-BELT 145X4DZ	33,600 lbs	19' 9"	28'
Track Excavator 36,000–44,000 lbs	JOHN DEERE 160P	39,526 lbs	19' 7"	29' 1"
Track Excavator 45,000–55,000 lbs	CASE CX220E	50,000 lbs	21' 2"	31' 11"
Track Excavator 56,000–65,000 lbs, Reduced Tailswing	LINK-BELT 245X4DZ	56,900 lbs	21' 10"	21' 4"
Track Excavator 56,000–65,000 lbs	JOHN DEERE 250P	60,600 lbs	25'	33' 9"
Track Excavator 66,000–75,000 lbs	JOHN DEERE 300P	68,674 lbs	23' 8"	35' 2"
Track Excavator 77,000–85,000 lbs	CASE CX380E	83,114 lbs	23' 8"	36' 9"
Track Excavator 110,000–120,000 lbs	CASE CX490D	109,300 lbs	24' 10"	39' 3"



COMPACT TRACK LOADERS

CLASS	MODEL	WEIGHT	CAPACITY @35%
Ride-On Mini Skid Steer 800–1,100 lbs ROC	BOBCAT MT100	3,390 lbs	1,014 lbs
	DITCH WITCH SK800A	2,290 lbs	911 lbs
	TORO Dingo TX420	1,830 lbs	500 lbs
	TORO TX525	1,904 lbs	553 lbs
	VERMEER S925TX	3,465 lbs	925 lbs
Track Skid Loader 1,700–1,900 lbs ROC	TAKEUCHI TL6CR	7,485 lbs	1,841 lbs
Track Skid Loader 2,000–2,300 lbs ROC	BOBCAT T62	7,961 lbs	2,100 lbs
	KUBOTA SVL65-2		
Track Skid Loader 2,500–2,800 lbs ROC	TAKEUCHI TL10V2-CR	10,130 lbs	2,522 lbs
Track Skid Loader 3,100–3,400 lbs ROC	TAKEUCHI TL12R2-CR	12,650 lbs	2,975 lbs
Track Skid Loader 3,600–4,000 lbs ROC	JOHN DEERE 333P Cabbed	12,183 lb	3,850 lbs
Track Skid Loader 4,000–4,500 lbs ROC	TAKEUCHI TL12V2	12,705 lbs	4,107 lbs



VACUUM EXCAVATORS

CLASS	MODEL	WEIGHT	GVWR
Vacuum Excavator 1000 CFM, Gas	VAC-TRON CV573SGT	4,850 lbs	9,995 lbs
Vacuum Excavator 500–600 CFM, Diesel	VAC-TRON LP573XDT	6,300 lbs	9,995 lbs
Vacuum Excavator 1,000 CFM, Diesel	DITCH WITCH HX50A	8,640 lbs	17,000 lbs



WHEEL LOADERS			
CLASS	MODEL	WEIGHT	CAPACITY (BUCKET)
Wheel Loader 145–155 hp, 3 cu yd	JOHN DEERE 524P	29,000 lbs	67.5 cu ft
Wheel Loader 165–175 hp, 3 cu yd	JOHN DEERE 544P	30,115 lbs	81 cu ft
Wheel Loader 190–200 hp, 4 cu yd	JOHN DEERE 624P	33,560 lbs	94.5 cu ft
Wheel Loader 230–255 hp, 4 cu yd	JOHN DEERE 644P	41,246 lbs	108 cu ft



BOBCAT
S70



BOBCAT
S510



BOBCAT
S770

WHEELED SKID LOADERS

CLASS	MODEL	WEIGHT	CAPACITY (BUCKET)
Wheeled Skid Loader 700–1,400 lbs ROC	BOBCAT S70	2,892 lbs	6 cu ft
Wheeled Skid Loader 1,500–2,200 lbs ROC	BOBCAT S510	6208 lbs	16.9 cu ft
Wheeled Skid Loader 2,300–2,900 lbs ROC	BOBCAT S650	8061 lbs	18.5 cu ft
Wheeled Skid Loader 3,000–4,000 lbs ROC	BOBCAT S770	9314 lbs	20.1 cu ft



WACKER NEUSON
DW30



WACKER NEUSON
DV125





TAKEUCHI
TCR50-2CR

MATERIAL MOVERS

CLASS	MODEL	WEIGHT	PAYLOAD	CAPACITY
Dumper All-Terrain 3 Ton	WACKER NEUSON DW30	5,524.8 lbs	6,613.9 lbs	2.3 cu yd
Dumper All-Terrain 5–6 Ton	WACKER NEUSON DV60	10,028.8 lbs	13,227.7 lbs	4.6 cu yd
Dumper All-Terrain 9 Ton	WACKER NEUSON DV90	11,245.8 lbs	19,841.6 lbs	6 cu yd
Dumper All-Terrain 11 Ton	WACKER NEUSON DV125	14,517 lbs	27,557.8 lbs	9.2 cu yd
Tracked Crawler Dumper 2.5–3 cu yd	TAKEUCHI TCR 50-2CR	14,440 lbs	8,157 lbs	2.7 cu yd

FORKLIFTS AND MATERIAL HANDLING





TELEHANDLER

JLG 1732



BRODERSON
IC-80



BRODERSON
IC-200



MAEDA
MC305CRME-3

ROTATING TELEHANDLERS, CARRY DECK CRANES AND COMPACT TRACK CRANES

CLASS	MODEL	WEIGHT	CAPACITY	SHEAVE HEIGHT
Rotator 10,000–11,000 lbs	MAGNI RTH 5.25	36,595 lbs	11,000 lbs	82'
Rotator 13,000–14,000 lbs	MAGNI RTH 6.31	50,050 lbs	13,200 lbs	101' 6"
Carry Deck Crane 9,000lbs Diesel	BRODERSON IC-40-2D	8,920 lbs	9,000 lbs	33' 6" (with boom extension)
Carry Deck Crane 18,000lbs Diesel	BRODERSON IC-80-3L - Diesel	16,750 lbs	18,000 lbs	46' 8" (with boom extension)
Carry Deck Crane 18,000lbs Dual Fuel	BRODERSON IC-80-3L - Dual Fuel	16,750 lbs	18,000 lbs	46' 8" (with boom extension)
Carry Deck Crane 30,000lbs Diesel	BRODERSON IC-200-3J - Diesel	31,080 lbs	30,000 lbs	73' 8" (with boom extension)
Carry Deck Crane 30,000lbs Dual Fuel	BRODERSON IC-200-3J - Dual Fuel	31,080 lbs	30,000 lbs	73' 8" (with boom extension)
Carry Deck Crane 36,000lbs Diesel	BRODERSON IC-250-3E	37,700 lbs	36,000 lbs	79' 6" (with boom extension)
Carry Deck Crane 40,000lbs Diesel	BRODERSON IC-280-A	41,340 lbs	40,000 lbs	88' 9" (with boom extension)
Compact Tracked Crane 5,500–6,500 lbs Diesel	MAEDA MC305C-3	8,600 lbs	6,560 lbs	41'
Compact Tracked Crane 5,500–6,500 lbs Diesel Electric	MAEDA MC305CRME-3	8,900 lbs	6,560 lbs	41'
Compact Tracked Crane 5,500–6,500 lbs Electric	JEKKO SPX328CL	5070 lbs	5,950 lbs	42' 8"



HARRINGTON
CF010-20



HARRINGTON
TCK3000P



HARRINGTON
SNER1-872745

MANUAL, ELECTRIC AND AIR HOISTS

CLASS	MODEL	PULL TO LIFT LOAD (LBS)
Hoist Chain Manual 1/2 Ton to 15 Ton	Harrington	60-115 lbs
Hoist Chain Air 2 Ton to 18 Ton	Harrington, Ingersoll Rand, JD Neuhouse	-
Hoist Chain Electric 1/2 Ton to 2 Ton	Harrington	-
Hoist Cable Electric 1 ton	Tractel TR50	-





HARRINGTON
L5LB015-20

WINCHES AND COME-A-LONGS

CLASS	MODEL	WEIGHT	CAPACITY	LIFT HEIGHT
Hoist Lever Come-a-long 1 1/2 Ton 20' Lift	HARRINGTON L5LB015-20	19 lbs	3,000 lbs	20'

LIGHTING AND SECURITY





LIGHT TOWER
MILWAUKEE MXF041-1XC



HAZARDOUS LOCATION LIGHTING

CLASS	MODEL	APPROVALS	LUMENS
Light Area LED Explosion Proof	LIND EQUIPMENT XP1830LED39WLED	cETLus approved for Class 1, Division 1, Groups C & D, Class 1, Division 2, Groups A, B, C & D, Class 2, Divisions 1 & 2, Groups F & G	3,600 lm
Light Area LED Explosion Proof	WORKSITE LIGHTING XP 980	cULus Certified for Class 1, Division 1, Groups B, C & D, Class 2, Division 1	24,000 lm
Light Area LED Explosion Proof Magnetic	WORKSITE LIGHTING PetroPRO Handy	120 V	12,500 lm
Light Area LED Explosion Proof Magnetic	WORKSITE LIGHTING PetroPRO-MAX	120 V	12,500 lm
Light Hand LED Explosion Proof w/Transformer	LIND EQUIPMENT GST50	UL approved for Class 1, Division 1, Groups C & D (light head only)	1,430 lm
Light Hand LED Explosion Proof w/Transformer	WORKSITE LIGHTING DWXPLEDIL50-12V	Class 1, Division 1, Groups C & D Class 2, Division 2, Groups F & G	600 lm
Light String 8 Head Explosion Proof	LIND EQUIPMENT TLS-80XPLEDRE-LV	cUL and UL approved Class 1, Division 1, Groups C & D	800 lm per bulb
Light String 8 Head Explosion Proof	WORKSITE LIGHTING SLDWXPLED8-12	Class 1 Division 1 Groups C&D (Oil & Gas) and F&G (Dust)	650 lm per bulb



GENERAL CONSTRUCTION LIGHTING

CLASS	MODEL	POWER REQUIREMENTS	LUMENS
Light String Daisy Chain LED	LIND EQUIPMENT LELED360S-10P10C	90-277V	14,300 lm
Light Tower Cordless	Milwaukee MXF041-1XC	120V	27,000 lm
Light Wobble 400W Metal Halide	WOBBLE LIGHT 111104	120V	40,000 lm
Light Wobble LED Cordless	Milwaukee 2150-20	18V	9,000 lm
Light Wobble LED Electric	Southwire Company 111303LED	120V	15,000
Light Stand Balloon Diesel	Multiquip GBX24BK	Diesel	399,000 lm
Light Stand Balloon LED	Multiquip GB8LED	115V	Max 110,000 lm
Light Stand LED	LIND EQUIPMENT LE360-LED-TR	120V	14,300 lm
Light Stand LED Explosion Proof	WORKSITE LIGHTING PetroPRO-MAX T-Bracket	120V	12,500 lm
Light String 50'	SOUTHWIRE COMPANY 121050	120V	1,500 lm
Light Stand 1 Head LED	CEPCO 7309	120V	22,000 lm
Light Stand 1 Head LED	LIND EQUIPMENT LE978LED-CART-W	90-277V	22,500 lm
Light Stand 1 Head LED	LIND EQUIPMENT LE980LED-CART-W	90-277V	30,000 lm
Light Stand 2 Head LED	CEPCO 7322	120V	44,000 lm
Light Stand 2 Head LED	LIND EQUIPMENT LE978LED-CART-TD-W	90-277V	45,000 lm



LIND
LE980LED-CART-TD-W



LIND
LE980LED-T4B



CANADA TOWERS
LED64-24C2C

GENERAL CONSTRUCTION LIGHTING (CONTINUED)

CLASS	MODEL	POWER REQUIREMENTS	LUMENS
Light Stand 2 Head LED	LIND EQUIPMENT LE980LED-CART-TD-W	90-277V	60,000 lm
Light Cart Electric	LIND EQUIPMENT LE978LEDV-T4B	90-277V	120,000 lm
Light Cart Electric	LIND EQUIPMENT LE980LED-T4B	90-277V	120,000 lm
Light Cart Electric	LIND EQUIPMENT LE980LEDV-T4B	90-277V	120,000 lm
Light Tower Stadium LED	Canada Towers LED64-24C2C	14 kVa	1,222,000 lm



GENERAC
SLT-DCUBEHYPRK2

STATIONARY LIGHT PLANTS

CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT	TOTAL LUMINOUS FLUX	RUN TIME	FUEL TANK
Light Plant Stationary 2.4-4 kW - LED	GENERAC SLT-DCUBEHYPRK2	330"	49.6" x 48.4" x 104.7"	~2,389 lbs	184,000 lm	300 hrs	64.4 gal



TOWABLE LIGHT PLANTS

CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT	TOTAL LUMINOUS FLUX	RUN TIME	FUEL TANK
Light Plant 2.4-4 kW - LED	GENERAC MLTS-4	276"	118" x 57" x 101"	~1,185 lbs	198,400 lm	165 hrs	39.9 gal
Light Plant 2.4-4 kW - LED, Electric Mast	WACO WLTT-4MM4K Electric Mast	285"	70" x 62" x 90"	~1,580 lbs	210,100 lm	240 hrs	60 gal
Light Plant 6 kW - Metal Halide	WACO WLT-4M	360"	176" x 47" x 66"	~1,550 lbs	347,400 lm	62 hrs	30 gal
Light Plant 6 kW - LED	GENERAC MLT6SMDS	276"	118" x 57" x 101"	~1,310 lbs	198,400 lm	164 hrs	39.9 gal
Light Plant 8 kW - LED	WACO WLTT-4MK8K	294"	70" x 62" x 90"	~1,580 lbs	210,100 lm	240 hrs	60 gal
Light Plant 14 kW - LED	WACKER NEUSON LTG14	283"	136" x 76.1" x 78.4"	~2,767 lbs	192,000 lm	359 hrs	59 gal
Light Plant 20 kW - LED	ALLMAND MAXI-LITE	322"	126" x 77" x 105"	~3,430 lbs	228,560 lm	277 hrs	100 gal
Hybrid Diesel Light Plant 2.4-4 kW	WACO WLTT-4LK4K-H	276"	70" x 62" x 90"	~1,500 lbs	128,180 lm	700 hrs	60 gal



SOLAR LIGHT PLANTS



CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT	TOTAL LUMINOUS FLUX	RUN TIME	FUEL TANK
Solar Light Plant 0.7–1.2 kW	GENERAC VT SOLAR	255"	142" x 54" x 99"	~2,401 lbs	60,000 lm	N/A (Solar)	-
Solar Light Plant 1.6–2.3 kW	PROGRESS SOLAR SOLUTIONS Helios-2XP	276"	107" x 61" x 93"	~1,800 lbs	64,000 lm	N/A (Solar)	-
Hybrid Solar Light Plant 0.7–1.2 kW	NATIONAL SIGNAL Sunray LTS-300H	236"	145" x 79" x 105"	~3,400 lbs	165,000 lm	~600 Hours	24 gal



SECURITY SYSTEMS

CLASS	MODEL	DEPLOYED HEIGHT	SHIPPING (LXWXH)	SHIPPING WEIGHT
Solar Security Plant, Single Surveillance Cam	SUN SURVEILLANCE SS-GEN-2865-001-0001	240"	120" x 78" x 102"	~2,150 lbs
Solar Security Plant, Single Surveillance Cam + Radar	SUN SURVEILLANCE SS-GEN-4529-1	240"	120" x 78" x 102"	~2,350 lbs
Solar Security Plant, Dual Surveillance Cam + Radar	SUN SURVEILLANCE SS-GEN-4535-1	240"	120" x 78" x 102"	~2,400 lbs
Solar Security Plant, Triple Surveillance Cam	NATIONAL SIGNAL Sunray Solar-Powered Mobile Integrator Tower	240"	121" x 78" x 104"	~2,250 lbs
Solar Security Plant, Triple Surveillance Cam + Radar	SUN SURVEILLANCE SS-GEN-4463-2	240"	120" x 82" x 108"	~2,800 lbs

SURFACE PREPARATION AND CLEANING





PRESSURE WASHER

SIMPSON 61023



PRESSURE WASHERS

CLASS	MODEL
Pressure Washer 2,700 psi, 2.3 gpm, Cold	SIMPSON 61023
Pressure Washer 4,000 psi, 4 gpm, Hot	SIMPSON 65106
Pressure Washer 3,500 psi, 2.5 gpm, Hot	SIMPSON 65123
Towable Pressure Washer 4,000 psi, 4 gpm, 200 gal, Hot	SIMPSON 95005
Towable Pressure Washer 3,500 psi, 5.5 gpm, 525 gal, Hot	SIMPSON 95122
Pressure Washer 2,000 psi–7,000 psi / 2gpm–26gpm / Cold & Hot	MI-T-M CW-3504-5MGH



NATIONAL FLOORING
5000DL



NATIONAL FLOORING
5625DL



EDCO
TS-8

FLOORING REMOVAL

CLASS

MODEL

Floor Scraper, Ride-On, Battery

NATIONAL FLOORING 5000DL

Floor Scraper, Ride-On, Propane

NATIONAL FLOORING 5625DL

Floor Scraper, Walk-Behind 8", Electric

EDCO TS-8



SWEEPERS AND SCRUBBERS


CLASS	MODEL	TYPE	SWEEP WIDTH	BRUSH SPEED
Walk-Behind Floor Scrubber 13", Battery	TENNANT CS16	Walk-Behind	13"	140 rpm
Walk-Behind Floor Scrubber 28", Battery	KARCHER BD70 W BP	Walk-Behind	28"	180 rpm
Walk-Behind Floor Sweeper 30", Battery	TENNANT S10	Walk-Behind	34"	550 rpm
Walk-Behind Floor Scrubber 36", Battery	TENNANT T500E	Walk-Behind	26"	220 rpm
Walk-Behind Floor Scrubber 36", Battery	TENNANT T600	Walk-Behind	36"	300–2,200 rpm
Ride-on Floor Scrubber 36", Battery	TENNANT T16	Ride-On	36"	300–500 rpm
Ride-On Floor Scrubber 40", Battery	KARCHER B 75 R BP	Ride-On	30"	180–1,200 rpm
Ride-On Floor Scrubber 40", LPG	TENNANT M20	Ride-On	40"	480 rpm
Ride-On Floor Scrubber 48", LPG	TENNANT M30	Ride-On	48"	480 rpm
Ride-On Floor Sweeper 50", Battery	TENNANT S20E	Ride-On	50"	550 rpm
Ride-On Floor Sweeper 50", LPG	TENNANT S20	Ride-On	50"	550–600 rpm
Ride-On Floor Sweeper 60", Battery	TENNANT S30	Ride-On	62.5"	500–550 rpm



JOBSITE SWEEPERS

CLASS	MODEL	SWEEPING WIDTH	HORSEPOWER	BRUSH SPEED
3-Wheel Sweeper, Mid-Mount Broom, Diesel	BROCE BW260	8'	24 hp	192 rpm
4-Wheel Sweeper, Front-Mount Broom, Diesel	SB MANUFACTURING SM74J	8'	74 hp	200–250 rpm
4-Wheel Sweeper, Mid-Mount Broom, Diesel	LAYMOR SM450	8'	74 hp	210 rpm
4-Wheel Sweeper, Mid-Mount Broom, Diesel	BROCE RCT350	8'	74 hp	192 rpm
4-Wheel Sweeper, Mid-Mount Broom, Diesel	BROCE RK350	8'	74 hp	192 rpm


VEHICLES AND TRAILERS





WATER TRUCK

FORD F750





 **ADVANCED SOLUTIONS**

Climate Control

Compressed Air

Fluid Solutions

Power Solutions


OUR ON-SITE PROGRAM GIVES YOU ALL THE BENEFITS OF HAVING A PERSONAL RENTAL YARD ATTACHED TO YOUR JOBSITE

The construction industry is witnessing a remarkable rise in megasites, the large-scale projects defined by their extensive scope, substantial budgets and prolonged timelines.

In this competitive environment, general contractors must rely on equipment providers that do more than simply supply heavy machinery. They need a dedicated partner who understands the unique challenges of megasite projects and can provide tailored, comprehensive solutions that ensure seamless operations and improved project margins.

Our On-site Program Includes:

- Fully staffed service and logistics team including dedicated GM, driver, telematics experts, parts managers and multiple technicians across your field, yard and shop.
- Improve project margins by increasing utilization of your fleet.
- Eliminate costly jobsite delays from slow service or machine downtime.
- Quickly and efficiently meet your equipment needs.



35%


Faster Service

On-site yards time to complete service vs. traditional rental branches.



99%

Uptime

On-site yards keep equipment running.



CLIMATE CONTROL





PORTABLE AIR CONDITIONING

KWIKOOL KPAC-1411-2

EquipmentShare®


AIR CONDITIONERS - PORTABLE (CONTINUED)

CLASS	MODEL	VOLTAGE RANGE	CAPACITY	DIMENSIONS (L X W X H)	WEIGHT (DRY)
Air Conditioner 12 Ton Indoor/Outdoor 460V 3P	MESTEK 6KK144	460 V/3 ph/60 Hz	9500 cfm 48 kw heat 270,000 (25 Tons)	71" x 34.3" x 75"	1,245 lbs
Air Conditioner 12 Ton DX w/ Heat 230V 3P	KWIKOOL KP012-23H	230 V/3 ph/60 Hz	135,000 BTU/h (12 Tons)	32" x 64" x 60–62" with casters	1,080 lbs
Air Conditioner 12 Ton DX w/ Heat 460V 3P	KWIKOOL KP012-43H	460 V/3 ph/60 Hz	135,000 nominal BTU/h 8500 cfm	32" x 64" x 60" with 8" casters	1,100 lbs
Air Conditioner 1.3 Ton Water Cooled	OCEANAIRE OWC1811QC	115 V/1 ph/60 Hz	18,000 BTU/h (1.5 Ton)	24.25" x 13" x 37.5" with casters	155 lbs
Air Conditioner Water Cooled 1.5 Ton 115V 15A	KWIKOOL KWIB1811-2	115 V/1 ph/15 A	17,700 BTU/h (1.5 Tons)	16" x 22" x 38"	165 lbs
Air Conditioner Water Cooled 2.5 Ton 230V 20A	KWIKOOL KWIB3021-2	230 V/1 ph/20 A	BTU/h @ 95F at 60% RH: 29,500 (2.5 Tons)	20.325" x 24" x 43.125"	236 lbs
Air Conditioner Water Cooled 3.5 Ton 230V 1P 30A	KWIKOOL KWIB4221-2	230 V/1 ph/30 A	BTU/h @ 95F at 60% RH: 42,000 (3.5 Tons)	22.325" x 44" x 49"	409 lbs
Air Conditioner Water Cooled 5 Ton 230V 1P 40A	KWIKOOL KWIB6021-2	230 V/1 ph/40 A	60,000 BTU/h (5 Tons)	27.326" x 27.625" x 53"	360 lbs



AIR COOLED CHILLERS

CLASS	MODEL	VOLTAGE RANGE	CAPACITY	DIMENSIONS (LXWXH)	WEIGHT (DRY)
Chiller 10 Ton Air Cooled	SMARTECH STAC10S-R	480 V/3 ph/60 Hz/30 A	10 tons	89" x 35" x 57"	1,600 lbs
Chiller 30 Ton Air Cooled	CAPS PCHH-30TC-ONNONN-5E5-0-PG2CEUP	480V/3 ph/60Hz/90A	30 tons	184" x 55" x 65"	4,550 lbs
Chiller 60 Ton Air Cooled	CAPS PCHH-60TC-ONNONN-5E5-0-PG2CEUP	480V/3 ph/60Hz/157 A	60 tons	204" x 101" x 82"	7,920 lbs
Chiller 70 Ton Air Cooled	CAPS PCHH-70TC-ONNONN-5E5-0-PG2CEUP	480V/3 ph/60Hz/181 A	70 tons	176" x 101.5" x 102"	8,200 lbs
Chiller 100 Ton Air Cooled	SMARTECH SCOD100AR4	480 V/3ph/60 Hz/188 A	100 tons	180" x 88" x 99.75"	14,200 lbs
Chiller 150 Ton Air Cooled	CAPS PCHH-150TC-ONNONN-5E5-0-PG2CEUP	480 V/3 ph/60 Hz/345 A	150 tons	254.5" x 101.5" x 102"	14,500 lbs
Chiller 230 Ton Air Cooled	CARRIER 30XV-2256SJ0-64C0	480 V/3 ph/60 Hz/448 A	225 tons	312" x 96" x 108"	17,772 lbs
Chiller 440 Ton Air Cooled	YORK YCAV457	480 V/3 ph/60 Hz/830 A	457 tons	572" x 89.5" x 91"	33,000 lbs
Chiller 500 Ton Air Cooled	CARRIER 30XV-5006MJ0-64C0	480 V/3 ph/60 Hz/886 A	500 tons	636" x 96" x 160"	42,923 lbs



BARCO
SA2X1.5E - 7.5




BARCO
SA3X2E - 15



BARCO
SA6X4E - 60

ELECTRIC CHILLER PUMPS

CLASS	MODEL	VOLTAGE RANGE	CAPACITY	DIMENSIONS (LXWXH)
Chiller Pump Electric 100 gpm 7.5 hp	BARCO SA2X1.5E-7.5	480 V/3 ph/60 Hz/9 A	100 gpm @ 135ft/hd	46.5" x 49" x 56"
Chiller Pump Electric 300 gpm 15 hp	BARCO SA3X2E-15	480 V/3 ph/60 Hz/17 A	300 gpm @ 125ft/hd	46.5" x 49" x 56"
Chiller Pump Electric 600 gpm 30 hp	BARCO SA4X3E-30	480 V/3 ph/60 Hz/36 A	600 gpm @ 125ft/hd	46.5" x 49" x 56"
Chiller Pump Electric 1200 gpm 60 hp	BARCO SA6X4E-60	480 V/3 ph/60 Hz/68 A	1,200 gpm @ 125ft/hd	46.5" x 49" x 56"



SMARTECH
PHS08Q



SMARTECH
CFOD06Q

CHILLER ACCESSORIES

CLASS	MODEL	VOLTAGE RANGE	CAPACITY	DIMENSIONS (LXWXH)	WEIGHT (DRY)
Process Header Skid	SMARTECH PHS08Q	-	1,200 gpm	81" x 42.5" x 50"	1,600 lbs
Industrial Process Control Valve Skid	SMARTECH PCV04Q	120 V/1 ph/60 Hz/20 A	-	48" x 60" x 54"	985 lbs
HEPA Filtration Module	SMARTECH CFOD06Q	120 V/1 ph/60 Hz/20 A	8,800 CFM	60" x 60" x 58"	1,200 lbs



FLAMELESS HEATERS

CLASS	MODEL	CAPACITY	DIMENSIONS (LXWXH)	WEIGHT (DRY)
Flameless Indirect Fired 600k–625k BTU (K/DSL) Heater	THERM DYNAMICS TD625	625,000 BTU/h	148" x 66" x 78"	4,420 lbs
Flameless Indirect Fired 900k BTU (K/DSL) Heater	GENERAC MFH900	865,000 BTU/h	192" x 94" x 76"	7,735 lbs
Flameless Indirect Fired 1M–1.2M BTU (K/DSL) Heater	THERM DYNAMICS TD1250L	1.25M BTU/h	168" x 100" x 94"	7,400 lbs


HYDRONIC SURFACE HEATERS

CLASS	MODEL	VOLTAGE RANGE	CAPACITY	DIMENSIONS (LXWXH)	WEIGHT (DRY)
Hydronic Surface Heater 385k BTU (K/DSL)	WACKER NEUSON E3000	120 V/1 ph/60 Hz/20 A	385,000 BTU/h	181" x 91" x 94"	9,290 lbs
Hydronic Surface Heater 620k BTU (DSL)	DRYAIR 650 GTS	120 or 208 V/1 ph/60 Hz/50 A	620,200 BTU/h	195" x 94" x 96"	10,250 lbs

COMPRESSED AIR





DIESEL AIR COMPRESSOR

ANA AIRMAN PDS185S-6EZ1



AIRMAN
PDS185S-6EZ1



ATLAS COPCO
XAS 188 CW



MOBILAIR
EQUIPMENTSHARE
KAESER
M58 Utility

DIESEL AIR COMPRESSORS

CLASS	MODEL	PRESSURE	LENGTH X WIDTH X HEIGHT (TOWING PACKAGE)	WEIGHT
Diesel Air Compressor 185 CFM	AIRMAN TIER 4 PDS185S-6EZ1	58–120 psi	129" x 67" x 61"	2,300 lbs
Diesel Air Compressor 185 CFM	ATLAS COPCO XAS 188 CW	58–125 psi	130" x 62" x 69"	2,100 lbs
Diesel Air Compressor 210 CFM	KAESER M58 UTILITY	145 psi	84 5/8" x 33 1/4" x 55"	2,043 lbs
Diesel Air Compressor 375–425 CFM	AIRMAN PDSF375DP-6E1	100–150 psi	156" x 74" x 73"	4,330 lbs
Diesel Air Compressor IQ 400 CFM	ATLAS COPCO XAS 400-200 PACE PFF	72–200 psi	167 x 72.8" x 80.6"	4,700 lbs
Diesel Air Compressor IQ 750 CFM	ATLAS COPCO XAS 900PFF JD8 T4F	58–175 psi	203" x 80" x 86"	7,980 lbs
Diesel Air Compressor IQ 900 CFM	ATLAS COPCO XAS 850-175 PACE	58–175 psi	262" x 94" x 33"	8,213.16 lbs
Diesel Air Compressor IQ 1600 CFM	ATLAS COPCO XAS1800 JD8 T4F	58–150 psi	179" x 88" x 82"	19,025 lbs
Diesel Air Compressor High Pressure 1170 CFM	DOOSAN TIER 4 XHP1170WCU	140–365 psi	292.4" x 90.1" x 99.5"	18,835 lbs
Diesel Air Compressor Oil Free 1500–1600 CFM	BOBCAT PA1500NCU-T4F	150psi	237" x 90" x 98.7"	23,000 lbs



FUEL CONSUMPTION (FULL LOAD)	FUEL CONSUMPTION FULL / 70% LOAD	DEF CAPACITY	DEF USAGE (GALLONS)	AIR OUTLET
2.4 gal/hr	2.4 gal / 1.7gal hr.	-	-	(2) 3/4" Valves
2.37 gal/hr	2.37 gal @ 100% Load	-	-	(2) 3/4" Valves
2.8 gal/hr	2.8 gal @ 100% Load	-	-	2 x 3/4" / 1 x 1"
5.9 gal/hr	5.9 gal/hr @ 100% Load	5.3 gal	0.3 gal/hr	1 x 2" / 2 x 3/4"
7 gal/hr	7gal/ hr @ 100% Load	5	0.33 gal/hr.	2 x 3/4" / 1 x 1/2"
10.7 gal/hr	10.7gal @ 100% Load	11.3 gal	3.5% of Diesel Consumption	1 x 2" / 2 x 3/4"
10.7 gal/hr	10.7 gal @ 100% Load	15.8 gal	TBD	2 x 3/4" / 1 x 2"
22 gal/hr	22 gal @ 100% Load	12.5 gal	0.37gal/hr	2 x 2" Hot / Cold
23.5 gal/hr	23.5 gal @ 100% Load	15.6 gal	-	1 x 3" Cold / 1x 2" Hot
23 gal/hr	23 gal. @ 100% Load	23 gal	-	1 x 3"



ELECTRIC AIR COMPRESSORS



CLASS	MODEL	PRESSURE	TOWING PACKAGE (L X W X H)	WEIGHT	VOLTAGE RANGE	AIR OUTLET
Electric Air Compressor 185 CFM	ATLAS COPCO E-AIR H185 VSD	87–174 psi	113.7"x53" x 55.9"	2,645 lbs	460 V @ 50 A 35 hp Motor	-
Electric Air Compressor 250 CFM	ATLAS COPCO E-AIR H250 VSD	87–174 psi	113.7"x53" x 55.9"	2,645 lbs	460 V @ 63 A	-
Electric Air Compressor 450 CFM	ATLAS COPCO E-AIR H450 VSD	72–150 psi	149.9"x 62.7" x 63.4"	2,646 lbs	460 V @ 135 A 75 hp Motor	3 x 3/4" / 1 x 1 1/2"
Electric Air Compressor 1100 CFM	ATLAS COPCO E-AIR V1100 VSD	72–203 psi	135.6" x 48" x 72.6"	6,062 lbs	460 V @ 350 A 280 hp Motor	-
Electric Air Compressor Oil Free 400 CFM	INGERSOLL RAND HH100	150 psi	89" x 54" x 75"	5,500 lbs	460 V @ 138 A 100 hp Motor	-
Electric Air Compressor Oil Free 800 CFM	INGERSOLL RAND E132I-A155	155 psi	108" x 65" x 79"	7,800 lbs	460 V @ 224 A 200 hp Motor	-
Electric Air Compressor Oil Free 1500–1600 CFM	ROGERS GEN 3 KNW6A-400H	150 psi	192" x 90" x 96"	13,500 lbs	460 V @ 652 A Use 800 A breaker	1 x 3" Cold / 1 x 2" Hot



DRYERS AND AFTERCOOLERS

CLASS	MODEL	PRESSURE	L X W X H	WEIGHT
Desiccant Air Dryer 450 CFM OIL FLOODED AFTERCOOLED	HANKISON RDH-450G	250psi	70" x 50" x 82"	2,200 lbs
Desiccant Air Dryer 900 CFM OIL FLOODED	HANKISON RDH 930	250psi	80" x 76" x 72"	3,800 lbs
Desiccant Air Dryer 1600 CFM OIL FLOODED	HANKISON RDH 1550	250psi	100" x 78" x 96"	5,000 lbs
Desiccant Air Dryer 450 CFM OIL FREE	HANKISON RDH-450G0F	250psi	70" x 50" x 82"	2,200 lbs
Desiccant Air Dryer 900 CFM OIL FREE	HANKISON RDH-930G0F	250psi	80" x 75" x 71"	3,800 lbs
Desiccant Air Dryer 1600 CFM OIL FREE	HANKISON RDH-1550G0F	250psi	79" x 78" x 83"	5,000 lbs

FLUID SOLUTIONS






DIESEL TRASH PUMP

ATLAS COPCO PAC H108



INGERSOLL RAND
PD20A



INGERSOLL RAND
PD30A



INGERSOLL RAND
PD30SS

AIR OPERATED DIAPHRAGM PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	WEIGHT
Pump AOD 2" Aluminum	INGERSOLL RAND PD20A	172 gpm	120 psi	42 lbs
Pump AOD 2" Poly	INGERSOLL RAND PD20P	172 gpm	120 psi	74 lbs
Pump AOD 2" Stainless Steel	INGERSOLL RAND PD20SS	172 gpm	120 psi	55 lbs
Pump AOD 3" Aluminum	INGERSOLL RAND PD30A	275 gpm	120 psi	58 lbs
Pump AOD 3" Poly	INGERSOLL RAND PD30P	275 gpm	120 psi	122 lbs
Pump AOD 3" Stainless Steel	INGERSOLL RAND PD30SS	275 gpm	120 psi	98 lbs



AID
AUTO CONTROL PANEL

PUMP HOSES AND ACCESSORIES

CLASS	MODEL	VOLTAGE	AMPERAGE	HORSEPOWER	WEIGHT
Auto Control Panel 480v 3Phase with Stand/8-65A	AID MDNB-P0065A43B0000ZIG-EQS1	480 V	65 A	Up to 35 hp	250 lbs



DIESEL CENTRIFUGAL HIGH HEAD PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" x 3" Diesel Trash Pump 49hp High Head	ATLAS COPCO PAC H43 KD	660 gpm	130 psi	74 hp	3,665 lbs
6" x 3" Diesel Trash Pump 173hp High Head	ATLAS COPCO PAC H63 JD	1,100 gpm	199 psi	173 hp	8,763 lbs
6" x 3" Diesel Trash Pump 173hp High Head Stainless	PIONEER PP63C17L2-4045HFC	1,100 gpm	199 psi	173 hp	6,518 lbs
6" X 4" Diesel Clear Pump 250hp	PIONEER PP64C21L71-JD6068	1,300 gpm	326 psi	250 hp	6,712 lbs
6" x 4" Diesel Trash Pump 350hp	ATLAS COPCO PAC H64 JD	1,950 gpm	216 psi	275 hp	10,300 lbs
6" x 4" Diesel Trash Pump 350hp Silent	ATLAS COPCO PAC H64 JD-S	1,950 gpm	216 psi	275 hp	11,300 lbs
8" x 6" Diesel Trash Pump 600hp	PIONEER 86C21	4,000 gpm	281 psi	600 hp	14,760 lbs
10" x 8" Diesel Trash Pump 325hp	ATLAS COPCO PAC H108 JD	6,400 gpm	155 psi	325 hp	13,400 lbs
10" x 8" Diesel Trash Pump 325hp Silent	ATLAS COPCO PAC H108 JD-S	6,400 gpm	155 psi	325 hp	14,000 lbs
12" x 8" Diesel Trash Pump 600hp	PREMIER PUMP 8NHTH-RP-DC13	7,000 gpm	195 psi	600 hp	12,420 lbs




DIESEL CENTRIFUGAL PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Diesel Trash Pump 49hp	ATLAS COPCO PAC F44 KD	1,320 gpm	65 psi	49 hp	3,782 lbs
4" Diesel Trash Pump 49hp Silent	ATLAS COPCO PAC F44 KD-S	1,320 gpm	65 psi	49 hp	4,360 lbs
4" Diesel Trash Pump 49hp Stainless	PIONEER PP44S10L2-D2.9L	1,320 gpm	65 psi	49 hp	3,000 lbs
6" Diesel Trash Pump 74hp	ATLAS COPCO PAC F66 KD	2,640 gpm	71 psi	74 hp	4,100 lbs
6" Diesel Trash Pump 74hp Silent	ATLAS COPCO PAC F66 KD-S	2,640 gpm	71 psi	74 hp	4,650 lbs
6" Diesel Trash Pump Stainless	PIONEER PP66S12L2-TD2.9L	2,640 gpm	71 psi	74 hp	4,100 lbs
6" Diesel Trash Pump 173hp	PIONEER PPTP66S14	3,120 gpm	110 psi	173 hp	5,710 lbs
8" Diesel Trash Pump 120hp	ATLAS COPCO PAC F88 PD	3,950 gpm	86 psi	120 hp	5,200 lbs
8" Diesel Trash Pump 120hp Silent	ATLAS COPCO PAC F88 PD-S	3,950 gpm	86 psi	120 hp	5,580 lbs
12" Diesel Trash Pump 156hp Silent	ATLAS COPCO PAC F1212 JD-S	7,210 gpm	66 psi	156 hp	9,975 lbs
12" Diesel Trash Pump 286hp	ATLAS COPCO PAC F1212 VD	8,600 gpm	97 psi	285 hp	8,950 lbs
12" Diesel Trash Pump 286hp Silent	ATLAS COPCO PAC F1212 VD-S	8,600 gpm	97 psi	285 hp	10,580 lbs
14" Diesel Trash Pump 375hp	BARCO BPP141417J-375	14,000 gpm	86 psi	375 hp	12,600 lbs



DIESEL CHOPPER PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Chopper Pump 49 hp Silent	ATLAS COPCO PAC F44 KD-S	1,050 gpm	56 psi	499 hp	4,360 lbs
6" Chopper Pump 74hp Silent	ATLAS COPCO PAC F66 KD-S	2,000 gpm	51 psi	74 hp	4,650 lbs




DIESEL DOUBLE DIAPHRAGM PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
Pump Diaphragm 4" Double Diesel	MYERS-SETH A-DD4S/HA/T	425 gpm	38 psi	6 hp	1,750 lbs
Pump Diaphragm 6" Double Diesel	MYERS-SETH A-DD6/HA/T	550 gpm	34 psi	10 hp	2,240 lbs
Pump Diaphragm 6" Double Diesel Silent	MYERS-SETH A-DD6/HA/SAFE	550 gpm	34 psi	10 hp	2,980 lbs
Pump Diaphragm 8" Double Diesel	MYERS-SETH A-DD8/HA/T	700 gpm	40 psi	34 hp	3,400 lbs





DIESEL PISTON WELLPOINT PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
6" Diesel Piston Dewatering Pump Silent	MYERS-SETH MSP PP-150	396 gpm	33 psi	10 hp	4,377 lbs



DIESEL POSITIVE DISPLACEMENT PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Diesel Positive Display Sludge Pump	BARCO HSK4A-KDI1903TCRFT4	220 gpm	173 psi	40 hp	5,400 lbs




DIESEL ROTARY WELLPOINT PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
8" Diesel Rotary Dewatering Pump	THOMPSON 8RW-DDS-3.6-X	1,200 gpm	51 psi	74 hp	5,510 lbs
8" Diesel Rotary Dewatering Pump Silent	THOMPSON 8RW DDS-3.6-X Canopy	1,200 gpm	51 psi	74 hp	6,100 lbs
12" Diesel Rotary Dewatering Pump	THOMPSON 12R-DDS-3.6-X	2,200 gpm	51 psi	74 hp	5,710 lbs
12" Diesel Rotary Dewatering Pump Silent	THOMPSON 12R-DDS-3.6-X Canopy	2,200 gpm	51 psi	74 hp	6,220 lbs



ELECTRIC CENTRIFUGAL HIGH HEAD PUMPS


CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
6" x 4" Electric Trash Pump 350hp	ATLAS COPCO PAC H64 E	1,900 gpm	164 psi	350 hp	6,724 lbs
6" x 4" Electric Trash Pump 350hp Stainless	ATLAS COPCO PAC H64 E SS	1,900 gpm	164 psi	350 hp	6,724 lbs
8" x 6" Electric Trash Pump 350hp	ATLAS COPCO PAC H86 E	3,850 gpm	147 psi	350 hp	6,820 lbs
10" x 8" Electric Trash Pump 350hp	ATLAS COPCO PAC H108 E	6,400 gpm	155 psi	350 hp	7,352 lbs
10" x 8" Electric Trash Pump 350hp Stainless	ATLAS COPCO PAC H108 E SS	6,400 gpm	155 psi	350 hp	7,352 lbs
12" x 8" Electric Trash Pump 500hp	PREMIER PUMP 101222T	8,200 gpm	164 psi	500 hp	8,950 lbs



ATLAS COPCO
PAC F44 E



ATLAS COPCO
PAC F66 E



ATLAS COPCO
PAC F1212 E

ELECTRIC CENTRIFUGAL PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
4" Electric Trash Pump 50 hp	ATLAS COPCO PAC F44 E	1,320 gpm	60 psi	50 hp	2,755 lbs
4" Electric Trash Pump 50 hp Stainless	ATLAS COPCO PAC F44 E SS	1,320 gpm	60 psi	50 hp	2,755 lbs
6" Electric Trash Pump 75 hp	ATLAS COPCO PAC F66 E	2,640 gpm	71 psi	100 hp	3,415 lbs
6" Electric Trash Pump 75 hp Stainless	ATLAS COPCO PAC F66 E SS	2,640 gpm	71 psi	100 hp	3,415 lbs
8" Electric Trash Pump 125 hp	ATLAS COPCO PAC F88 E	3,950 gpm	86 psi	150 hp	4,520 lbs
12" Electric Trash Pump 350 hp	ATLAS COPCO PAC F1212 E	9,100 gpm	113 psi	350 hp	6,950 lbs
12" Electric Trash Pump 350 hp Stainless	ATLAS COPCO PAC F1212 E SS	9,100 gpm	113 psi	350 hp	6,950 lbs
6" x 4" Electric Process Pump 10 hp	BARCO BES64BE-10	800 gpm	34 psi	10 hp	1,150 lbs



THOMPSON
6PW-EBS-10

ELECTRIC PISTON WELLPOINT PUMP

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
6" Electric Piston Dewatering Pump Silent	THOMPSON 6PW-EBS-10	400 gpm	28 psi	10 hp	1,874 lbs



ELECTRIC SUBMERSIBLE PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
2" Electric Submersible Pump	WACKER NEUSON PST2	52 gpm	12 psi	1 hp	25 lbs
3" Electric Submersible Pump	MULTIQUIP ST3020BCUL	170 gpm	31 psi	2 hp	64 lbs
3" Electric Submersible Pump Slim Line 6hp	SULZER JC34ND	250 gpm	34 psi	6 hp	68 lbs
3" Electric Submersible Pump Sludge	ATLAS COPCO WEDA S30N 460V	250 gpm	25 psi	4 hp	55 lbs
4" Electric Submersible Pump Water	ATLAS COPCO D80 H	600 gpm	108 psi	31 hp	390 lbs
4" Electric Submersible Pump Water	ATLAS COPCO D50N	600 gpm	34 psi	8.5 hp	122 lbs
4" Electric Submersible Pump Sludge	ATLAS COPCO S60 N	400 gpm	43 psi	10 hp	144 lbs
4" Electric Submersible Pump Slurry	ATLAS COPCO L95 N	1,200 gpm	69 psi	50 hp	1,667 lbs
6" Electric Submersible Pump Water	ATLAS COPCO WEDA D70L	600 gpm	86 psi	18 hp	244 lbs
6" Electric Submersible Pump Slurry	ATLAS COPCO WEDA L100N	2,500 gpm	51 psi	60 hp	2,233 lbs
8" Electric Submersible Pump Water	ATLAS COPCO D95 N	3,000 gpm	43 psi	58 hp	580 lbs
10" Electric Submersible Pump Water	ATLAS COPCO WEDA D100N	6,000 gpm	51 psi	90 hp	1,133 lbs




FILTRATION SYSTEMS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	WEIGHT
Filter Bag Housing Duplex 4"	TROJAN HOSE 31-FTR	500 gpm	100 psi	1,350 lbs
Filter Bag Housing Duplex 6"	VYTAL 4BF6	1,000 gpm	150 psi	2,000 lbs
Filter Bag Housing Duplex 8"	VYTAL 8BF8	2,000 gpm	150 psi	3,200 lbs



WACKER NEUSON
PT2



WACKER NEUSON
PG3



WACKER NEUSON
PT4A

GASOLINE DRIVEN PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
2" Gas Trash Pump	WACKER NEUSON PT2A	165 gpm	46 psi	5.5 hp	95 lbs
2" Gas Dewatering Pump	WACKER NEUSON PG2A	168 gpm	38 psi	3.5 hp	55 lbs
3" Gas Trash Pump	WACKER NEUSON PT3A	347 gpm	42 psi	5.5 hp	137 lbs
3" Gas Dewatering Pump	WACKER NEUSON PG3A	290 gpm	38 psi	8 hp	68 lbs
4" Gas Trash Pump	WACKER NEUSON PT4A	689 gpm	45 psi	16 hp	330 lbs
Pump Diaphragm 3" Gas	WACKER NEUSON PDT3A	88 gpm	9 psi	3.5 hp	174 lbs



HYDRAULIC SUBMERSIBLE POWER PACKS & PUMPS

CLASS	MODEL	MAX FLOW RATE	MAX PUMP PRESSURE	HORSEPOWER	WEIGHT
Hydraulic Power Unit 75hp	HYDRA TECH HT74D/VFPT	30 gpm	2,900 psi	74 hp	3,520 lbs
Hydraulic Power Unit 140hp	THOMPSON 78hpU-DCUS-4.5P-M	88 gpm	3,500 psi	140 hp	5,480 lbs
Hydraulic Power Unit 200hp	D&D 800DSK	96 gpm	2,500 psi	200 hp	7,080 lbs
4" Hydraulic Submersible Pump	HYDRA TECH SP04DT/S4VHLDI	900 gpm	77 psi	-	209 lbs
6" Hydraulic Submersible Pump	HYDRA TECH SP06DT/S6TC	1,500 gpm	30 psi	-	247 lbs
8" Hydraulic Submersible Pump	HYDRA TECH FP-S8TCDI	2,500 gpm	34 psi	-	453 lbs
12" Hydraulic Submersible Pump	THOMPSON 120HST	7,300 gpm	43 psi	-	1,700 lbs



FUJI
MD200-EQS



FUJI
MD350-EQS






FUJI
MD600-EQS

VARIABLE FREQUENCY DRIVES

CLASS	MODEL	VOLTAGE	AMPERAGE	HORSEPOWER	WEIGHT
Variable Frequency Drive 10 hp	FUJI MD010-EQS	480 V	17 A	Up to 10 hp	200 lbs
Variable Frequency Drive 25 hp	YASKAWA DW-4025	480 V	42 A	Up to 25 hp	400 lbs
Variable Frequency Drive 30 hp	FUJI MD030-EQS	480 V	45 A	Up to 30 hp	480 lbs
Variable Frequency Drive 50 hp	FUJI MD050-EQS	480 V	75 A	Up to 50 hp	502 lbs
Variable Frequency Drive 100 hp	FUJI MD100-EQS	480 V	150 A	Up to 100 hp	885 lbs
Variable Frequency Drive 200 hp	FUJI MD200-EQS	480 V	253 A	Up to 200 hp	1,050 lbs
Variable Frequency Drive 350 hp	FUJI MD350-EQS	480 V	415 A	Up to 350 hp	1,350 lbs
Variable Frequency Drive 600 hp	FUJI MD600-EQS	480 V	740 A	Up to 600 hp	1,980 lbs



POWER SOLUTIONS





ENERGY STORAGE

ATLAS COPCO ZBC 250-575 UL





AIRMAN
SDG25S-8E1



WACKER NEUSON
G70



CUMMINS
C500D6RE

DIESEL GENERATORS

CLASS	MODEL	DIMENSIONS (L/W/H)	FUEL CONSUMPTION FULL LOAD	TOTAL FUEL CAPACITY
Diesel Generator 20kW/25kVA	AIRMAN SDG25S-8E1	67" x 31" x 55"	1.6 gal/hr	51.5 gal
Diesel Generator 36kW/45kVA	AIRMAN SDG45S-8E2	74.8" x 38.2" x 61.4"	2.8 gal/hr	80.5 gal
Diesel Generator 40kW-69kW	AIRMAN SDG65S-8E1	160" x 74" x 84.25"	3.9 gal/hr	111 gal
Diesel Generator 70kW-99kW	WACKER NEUSON G70	100" x 40.5" x 70.2"	6.7 gal/hr	41 gal
Diesel Generator 100kW-139kW	ATLAS COPCO QAS 125 JD T4F RS	162.4" x 56" x 85.5"	7.06 gal/hr	166 gal
Diesel Generator 140kW-169kW	ATLAS COPCO QAS 175 FD	189" x 77" x 88"	7.8 gal/hr (50 Hz) or 9.1 gal/hr (60 Hz)	194 gal
Diesel Generator 170kW-199kW	AIRMAN SDG150S-8E1	211" x 83.75" x 100.6"	8.5 gal/hr	204 gal
Diesel Generator 200kW-249kW	CAT QAS 250KW	218" x 94" x 109"	13.5 gal/hr (50 Hz) or 14.23 gal/hr (60 Hz)	385 gal
Diesel Generator 250kW-299kW	AIRMAN SDG400S-8E1	270" x 92" x 127"	23.1 gal/hr	491 gal
Diesel Generator 300kW-349kW	AIRMAN SDG400S-8E1	177" x 59" x 107.5"	23.1 gal/hr	491 gal
Diesel Generator 500kW-699kW	CUMMINS C500D6RE	287" x 102" x 123"	30.5 gal/hr	547 gal
Diesel Generator 1,000kW-1,299kW Tier 4 Final	CUMMINS C1000D6RE	480" x 102" x 162"	63.9 gal/hr	1,250 gal
Diesel Generator 1,300kW-1,599kW	ATLAS COPCO QAC 1350-1500KW	240" x 96" x 114"	67.4 gal/hr (50 Hz) or 74.4 gal/hr (60 Hz)	468 gal
Diesel Generator 2,000kW	CAT 3516G	285" x 94" x 117"	128.3 gal/hr	1,250 gal
Movie Diesel Generator 25kW-30kW	FTG KL30FQ	132" x 58" x 69"	1.8 gal/hr	63 gal
Movie Diesel Generator 80kW-99kW	FTG KL80FQ-T	173" x 74" x 85"	4.2 gal/hr	79 gal
Movie Diesel Generator 150kW-199kW	FTG FP1400FQS-T	176" x 72" x 121"	9.33 gal/hr	230 gal



ENERGY STORAGE SYSTEMS

CLASS	MODEL	RATING @ VOLTAGE	DIMENSIONS (L/W/H)	WEIGHT
Energy Storage 20kW Gen Combo Hybrid System	ANA AIRMAN BOSS 25-15	24 kW/15 kWh @ 208/277/480 V, 16 kW/15 kWh @ 120/240 V	160" x 74" x 75"	5,500 lbs
Energy Storage 70kW Gen Combo Hybrid System	ANA AIRMAN BOSS 70-65	70 kW/62 kWh @ 208/277/480 V	212.8" x 52.26" x 58.75"	11,000 lbs
Energy Storage 24kW/30kVA/75kWh 208v 3Ph	ATLAS COPCO ZBP 30-75	24 kW/71.4 kWh @ 120/208 V	57" x 49" x 74"	3,278 lbs
Energy Storage 250kW/250kVA/575kWh 480v 3Ph	ATLAS COPCO ZBC 250-575 UL	250 kW/575 kWh 301 A @ 480 V	118" x 96" x 114"	24,250 lbs
Energy Storage 36kW/45kVA/75kWh 240v 3Ph	ATLAS COPCO ZBP 40-75	32 kW/76.8 kWh @ 120/240 V	57" x 49" x 74"	3,571 lbs
Energy Storage 500kW/500kVA/250kWh 480v 3Ph	ATLAS COPCO ZBC 500-250 UL	500 kW/250 kWh 600 A @ 480 V	118" x 96" x 114"	23,150 lbs



PANELS

CLASS	MODEL	DIMENSIONS (L/W/H)	VOLTAGE RANGE	WEIGHT
100 Amp Quad Stringer Feeder Panel 5 Plugs	LEX LEX DB100N1J5DM-13-SP	14.25" x 14.25" x 14.15"	208/120 VAC	32 lbs
15kVA Mill Panel 480v-110v	TRYSTAR TF-15KVA480-208SDDC-CG-D	33.5" x 26.25" x 51.5"	Step down 480 V to 208/120 VAC	600 lbs
30kVA Mill Panel 480v-110v	TRYSTAR TF-30KVA480-208SDC-CG-D	42.5" x 30.5" x 50.75"	Step down 480 V to 208/120 VAC	775 lbs
200 Amp Quad Stringer Feeder Panel 10 Plugs	LEX DB200N1J10DM-63	15.00" x 18.00" x 22.00"	120/208 VAC	75 lbs
400 Amp I Line Panel	TRYSTAR IL-046-VDE-27-LP	44" x 26" x 28"	120-600 VAC	235 lbs
800 AMP I-Line Panel	TRYSTAR IL-086-VDE-27-LP	53.25" x 34" x 72.5"	120-600 VAC	1,500 lbs
1200 AMP I-Line Panel	TRYSTAR IL-126-VDE-45MBLP	53.25" x 34" x 72.5"	120-600 VAC	1,750 lbs
3000 AMP I-Line Panel	TRYSTAR IL-306-VDE-108	69" x 62.75" x 95.33"	120-600 VAC	850-1,100 lbs



PANELS (CONTINUED)

CLASS	MODEL	DIMENSIONS (L/W/H)	VOLTAGE RANGE	WEIGHT
Automatic Transfer Switch 1200A 200V/480V	TRYSTAR IL-126-VDE-63-LP	35.5" x 20.75" x 52"	120–600 VAC	750–850 lbs
Automatic Transfer Switch 400A 200V/480V	TRYSTAR TPATS-045MMMF-A	32" x 16.5" x 46"	200–480 VAC	200 lbs
Automatic Transfer Switch 800A 200V/480V	TRYSTAR TPATS-085MMMF-A	35.5" x 20.75" x 52"	200–480 VAC	230 lbs
Spider Box Feeder Panel 200A	TRYSTAR HTB-1DL-6P	15" x 14.5" x 14.5"	208/120 VAC	23–25 lbs
Spider Box Feeder Panel 400A	TRYSTAR DBLA.F3-A-A-A1	24.5" x 20.25" x 40.75"	208/120 VAC	110 lbs
Transformer 15kVA 480/208V	TRYSTAR TBXJ1.T236-B-B-A1	11.5" x 14.5" x 21"	Step down 480 V to 208/120 VAC	18 lbs
Transformer 75kVA 480/208V	TRYSTAR TF-75KVA480-208SDC-M-F	46" x 32" x 28"	Step down 480 V to 208/120 VAC	1,025 lbs
Transformer 150kVA 480/208V	TRYSTAR TF-150KVA480-208SDC-M-F	58" x 38" x 34"	Step down 480 V to 208Y/120 VAC	2,030 lbs
Transformer 300kVA 480/208V Wye-Wye	TRYSTAR TF-300-3-3-5-C-M-FWW	69.25" x 45" x 68.5"	Step down 480 V to 208Y/120 VAC	2,500 lbs
Transformer 500kVA 480/208V Wye-Wye	TRYSTAR TT-500-3-3-5-C-M-F.ww	50" x 36" x 32"	480 to 208Y/120VAC	375 lbs
Transformer 2500kVA Multi-Tap Medium Voltage	VANTRAN 2500MTT	120" x 79" x 89"	MultiTap	18,000 lbs



AVTRON
LC20



AVTRON
8400



AVTRON
2500


LOAD BANKS

CLASS	MODEL	RATING @ VOLTAGE	DIMENSIONS (L/W/H)	WEIGHT
Liquid Cooled Load Bank 500kw, Indoor Only	AVTRON LC20	500 kW/602 A/408 V, 433 kW/602 A/415 V	65" x 39.5" x 74.5"	2,504 lbs
Liquid Cooled Load Bank 720kw, Indoor Only	AVTRON LC720	720 kW/866 A/480 V, 540 kW/751 A/415 V	65" x 39.5" x 74.5"	2,604 lbs
Load Bank 100kw, Indoor Only	AVTRON 2705	100 kW @ 480/208 V/3 ph, 50 kW @ 240/120 V/1 ph	25" x 16.25" x 31.5"	100 lbs
Load Bank 2000kw, Outdoor Rated	TRYSTAR LT2000-480-1DMT-CB	2,000 kW @ 480 V	40.25" x 88" x 95"	3,600 lbs
Load Bank 4000kw, Outdoor Rated	TRYSTAR LT4000-480-1DMT	4,000 kW @ 480 V	102" x 113" x 102"	15,000 lbs
Load Bank 6000kva Resitive/Reactive, Outdoor	AVTRON 8400	6,000 kW @ 480 V	240" x 96" x 102"	38,500 lbs
Load Bank 500kw, Indoor Only	AVTRON/ASCO 2805 500KW W/SIGMA LT	500 kW @ 480/240/208 V/3 ph	59.19" x 34.19" x 53.12"	950 lbs
Load Bank 600kw, Indoor Only	AVTRON 2805 600KW W/SMARTBOARD	600 kW @ 480/240/208 V/3 ph	63.44" x 34.19" x 50.62"	1,026 lbs
Portable Load Bank 100kw, Indoor Only	AVTRON 2500	80 kW @ 308 V/3 ph, 100 kW @ 240/480 V/3 ph	23" x 11" x 25"	78 lbs



NATURAL GAS GENERATORS

CLASS	MODEL	DIMENSIONS (L/W/H)	FUEL CONSUMPTION FULL LOAD	WEIGHT
Natural Gas Generator 390kW Prime	MESA HDI GV22PU	24' 4" x 8' 7" x 10' 5"	4,742,067 BTU/h	15,000 lbs





SITE SOLUTIONS

Safety, Testing and Communication

Event and Site Services

Welding, Cutting and Pipe Fabrication

Torquing, Hydraulic and Electric Power Tools

Sanitation Solutions

Storage, Tanks and Containers

Trench Safety

Scaffolding and Ladders



PIPE BEVELER
RIDGID 8500



PAVEMENT BREAKER
DEWALT D25980K



CUT-OFF MACHINE
STIHL TS 420



DEMOLITION HAMMER
HILTI TE 1000-AVR





ELECTRIC CRIMPER
MILWAUKEE 2877-22



Mobile Tool Trailer

Mobile Tool Crib

MAXIMIZE YOUR PROJECT'S POTENTIAL WITH MANAGED TOOL SOLUTIONS

TOOL TRAILER

When you rent an EquipmentShare mobile tool trailer for your jobsite, you get access to a customizable collection of every tool your team will need to get the job done.

Best of all, it's full-service. Each tool trailer can be staffed by a member of your team or by an EquipmentShare tool technician who keeps track of inventory, repairs, certifications and outside deliveries. Every week, you'll receive a report that details tool utilization rate. You can update the tool inventory as the job progresses to meet the needs of each phase of construction.


Unlike the industry standard — a blanket fixed cost — EquipmentShare charges based on utilization of the tools on rent. As our customer, you have complete visibility into the amount of time each tool is being used and have the ability to off-rent the ones that aren't.

TOOL CRIB


When a tool trailer isn't the right fit for your jobsite, a tool crib might be the ideal solution. Our tool cribs are towable from site to site, making them the perfect solution for contractors who complete similar jobs at multiple locations.


EquipmentShare's tech-enabled tool management transforms how you handle equipment on large-scale and long-term projects.

- Track and manage tool usage.
- Prevent loss and theft.
- Optimize operational efficiency.
- Save money.




SAFETY, TESTING AND COMMUNICATION





DIGITAL RADIO
MOTOROLA R7





MOTOROLA
PMPN4284



RITRON
RLR-465-N



MOTOROLA
R7

COMMUNICATIONS

CLASS	MODEL	FEATURES
Radio Basic 2 Way Standard	MOTOROLA RDU4100	10 Channels
Radio Basic Intrinsically Safe	MOTOROLA XPR3300E	16 Channels
Radio Digital Intrinsically Safe	MOTOROLA XPR7550	1,000 Channels
Digital Portable Two-Way Radio	MOTOROLA R7 Display	1,000 Channels
Digital Portable Two-Way Radio	MOTOROLA R7 Non-Display	64 Channels
Radio Charger 6 Bank	MOTOROLA PMPN4284	120 VAC
Radio Charger 6 Bank	MOTOROLA PMPN4285	240 VAC
Radio Charger 6 Bank	MOTOROLA RLN6309	120 VAC
Radio Repeater	RITRON RLR-465-N	5 W
Radio Repeater	MOTOROLA SLR5700	1-50 W
Radio Combiner Multi-Band 3 Channel	EMR Corporation UHF25432/SYS-50	50 W
Radio Combiner Multi-Band 5 Channel	DBSPECTRA SPD3410 (2024)	150-250 W



HONEYWELL
BWC2-H



MSA
ALTAIR 4X



MSA
10152669

GAS DETECTION

CLASS	MODEL
Gas Monitor H2S	HONEYWELL BWC2-H
Gas Detector Multi 4 Gas	MSA ALTAIR 4X
Gas Detector Battery Charger 4 Gas	MSA 10127422
Gas Detector Bump Test/Calibration 4 Gas	MSA 10128641
Gas Detector Multi 5 Gas	MSA ALTAIR 5X
Gas Detector Battery Charger 5 Gas	MSA 10127427
Gas Detector Bump Test/Calibration 5 Gas	MSA 10128627
Gas Detector Pump Probe	MSA 10152669
Gas Detector Cylinder Stand	MSA 10105756



MSA
10158178



MSA
SAFETY HARNESS

PERSONAL PROTECTIVE EQUIPMENT

CLASS	MODEL	WEIGHT CAPACITY
Lifeline Self Retracting 6' to 60'	MSA, Guardian	400 lbs
Safety Harness	MSA, General Works	420 lbs



MICHIGAN PNEUMATIC
H-106-LBF - KIT



SKIDMORE
MODEL M



SKIDMORE
MZ COMPLETE

BOLT TESTING

CLASS	MODEL
Skidmore Torque Tension Calibrator	MICHIGAN PNEUMATIC TOOL H-106-LBF - KIT
Skidmore Torque Tension Calibrator	SKIDMORE-WILHELM MODEL H
Skidmore Torque Tension Calibrator	SKIDMORE HS-100-LBF
Bolt Tester Skidmore 1/2" to 1-1/4"	SKIDMORE MODEL M
Bolt Tester Skidmore 3/4" to 1-1/8"	SKIDMORE MZ Complete



FALLTECH
7509



GUARDIAN
32209



MSA
10107539

CONFINED SPACE

CLASS	MODEL	WEIGHT CAPACITY
Confined Space Entry Kit 60'	FALLTECH 7509	310 lbs
Confined Space Entry Kit 60'	GUARDIAN 32205	310 lbs
Confined Space Entry Kit 60'	GUARDIAN 32209	310 lbs
Breathing Air System Portable 100 CFM	MSA 10107539	Additional Info: Provides breathing air for up to four air-line respirators



RESCUE 42
PR-SAT-PS



RESCUE 42
MINI-NSD AIO



RESCUE 42
MINI-CRD

COMMUNICATIONS

CLASS	MODEL	CARRIERS	RANGE CELL	RANGE WIFI
Cellular/WiFi Tower	PR-SAT-PS	AT&T, Verizon, Viasat, Starlink	1 Mile	500'
Cellular/WiFi Portable Verizon	MINI-NSD AIO	Verizon	1/2 Mile	500'
Cellular/WiFi Portable AT&T	MINI-CRD	Firstnet (AT&T)	1/2 Mile	500'



WEATHER MONITORING TOWER
MODEL P

COMMUNICATIONS

CLASS	MODEL	WEATHER READINGS
Weather Monitoring Tower	P	Lightning, Temperature, Windspeed and Direction, Air Quality




PIPE EVALUATION

CLASS	MODEL	FEATURES
Pipe Camera 200' w/Monitor	RIDGID 63613/CS65X	1024 x 768 XGA
Pipe Locator	RIDGID 19238	3 lbs



PIPE JEEP/HOLIDAY DETECTOR

CLASS	MODEL	CAPACITY
Pipe Jeep/Holiday Detector	SPY 785	1,000–15,000 V/4–150 mils



TEST PUMP

CLASS	MODEL
Pump Hydrostatic Test Manual 500 psi	RICE HYDRO MTP-5
Pump Hydrostatic Test Manual 1,000 psi	RICE HYDRO MTP-1
Pump Hydrostatic Test Manual 2,000 psi	PINNACLE PDQH-2000
Pump Hydrostatic Test Manual 3,000 psi	PINNACLE PDQH-3000
Pump Hydrostatic Test Manual 5,000 psi	PINNACLE PDQH5000B
Pump Hydrostatic Test Manual 5,000 psi	RICE HYDRO hp-1/55
Pump Hydrostatic Test Manual w/Tank 870 psi	REX 29900
Pump Hydrostatic Test Air 1,000 psi	PINNACLE PDQM-1000
Pump Hydrostatic Test Air 3,600 psi	PINNACLE PDQC3600B
Pump Hydrostatic Test Air 10,000 psi	PINNACLE PDQC-10000
Pump Hydrostatic Test Air 10,000 psi	PINNACLE PDQM-10,000
Pump Hydrostatic Test Air 10,000 psi High-Flow	WIDDER 11340
Pump Hydrostatic Test Gas 300 psi	RICE DPH-8
Pump Hydrostatic Test Gas 300 psi	RICE HYDRO EL1
Pump Hydrostatic Test Gas 550 psi	RICE HYDRO DPH-3B



RICE
HYDRO DPV-3B



RICE
HYDRO EL2



RICE
HYDRO EL3

TEST PUMP (CONTINUED)

CLASS	MODEL
Pump Hydrostatic Test Gas 550 psi	RICE HYDRO DPV-3B
Pump Hydrostatic Test Electric 1,000 psi	RICE HYDRO EL2
Pump Hydrostatic Test Electric 1,500 psi	RICE HYDRO EL3



AMPROBE
ACD-41PQ



FLUKE
789



BOUNTY HUNTER
LONE STAR

METERS


CLASS	MODEL
Detector High Voltage	AEMC 275HVD
Meter Power Clamp	AMPROBE ACD-41PQ
Process Meter	FLUKE 789
Metal Detector	BOUNTY HUNTER LONE STAR




INDUSTRIAL BLINDS



CLASS	MODEL
Blind Paddle 1 1/2"–28"	Tracked Blind
Blind Flange 1 1/2"–18"	Tracked Blind
Blind Hydro 1 1/2"–20"	Tracked Blind
Blind Rack	Tracked Blind

EquipmentShare carries the tools and the supplies to help in your flange-management process.



EVENT AND SITE SERVICES





INFLATABLE TENT

NJORDAIR CA14






STORAGE, TANKS AND CONTAINERS			
CLASS	MODEL	WIDTH	MAX LENGTH
Connex Box Canopy Shelter 20x20	Gold Mountain Connex Box Canopy Shelter 20x20	20'	20'
Connex Box Canopy Shelter 20x40	Gold Mountain Connex Box Canopy Shelter 20x40	20'	30'
Connex Box Canopy Shelter 30x40	Gold Mountain Connex Box Canopy Shelter 30x40	30'	40'
Connex Box Canopy Shelter 40x40	Gold Mountain Connex Box Canopy Shelter 40x40	40'	40'



TENTS AND SHELTERS			
CLASS	MODEL	WIDTH	MAX LENGTH
Tents & Shelters	Tents & Shelters Liri, Losberger, Shelter	10'-200'	1,000'+
Tents & Shelters	Tents & Shelters GNB, Clearspan	10'-500'	1000'+
Tent Inflatable 20'	NJORDAIR CA6	20'	16'
Tent Inflatable 26'	NJORDAIR CA8	26'	16'
Tent Inflatable 33'	NJORDAIR CA10	33'	16'
Tent Inflatable 39'	NJORDAIR CA12	39'	16'
Tent Inflatable 46'	NJORDAIR CA14	46'	16'
Tent Pole	Tent Pole Various	20'-100'	20'-100'
Tent Frame	Tent Frame Various	10'-40'	10'-100'



TURNSTILES

CLASS	MODEL	USERS 10 MIN SHIFT CHANGE	USERS 20 MIN SHIFT CHANGE
Turnstile 1 Portal Open	Rizon Pegasus 100 Pro PSG M1KX	180	360
Turnstaile 1 Portal Closed	Rizon Pegasus 100HD PSG M1XX	180	360
Turnstile 2 Portal Open	Rizon Pegasus 200 Pro	360	720
Turnstile 2 Portal Enclosed 10'	Rizon Pegasus 200HD PSG M2TX	360	7720
Turnstile 2 Portal Enclosed 20' w/ Booth	Rizon Pegasus 200GB-HD	360	720
Turnstile 2 Portal Enclosed 20' w/ Booth Split	Rizon Pegasus 200GB-HD SPLIT PSG M2MX	360	720
Turnstile 3 Portal Enclosed 20'	PSG MAC3	540	1080
Turnstile Portal Enclosed 26' w/ Booth	PSG MAC3EX	540	1080
Turnstile 4 Portal Enclosed 20'	Rizon Pegasus 400HD PSG M4TX	720	1440



EVENT AND SITE SERVICES

TURNSTILE

CLASS	MODEL	USERS 10 MIN SHIFT CHANGE	USERS 20 MIN SHIFT CHANGE	POWER REQUIREMENT
Turnstile 4 Portal Enclosed 40' w/ Booth Split	PSG M4MX	720	1440	-
Turnstile 6 Portal Enclosed 40' w/ Booth Split	Rizon Pegasus 600GB-HD PSG M6MX	1080	2160	-
Turnstile 8 Portal Enclosed 40'	Rizon Pegasus 800HD	1440	2880	-
Turnstile 8 Portal Enclosed 40' w/ Booth	Rizon Pegasus 800GB-HD PSG M8EX	1440	2880	-
Turnstile 10 Portal Enclosed 40'	Rizon Pegasus 1000HD PSG M10T	1800	3600	110 or 240 VAC
Guard Booth 6x4	Rizon Pegasus GB PSG G46X	-	-	-
Guard Booth 8x6	Rizon Pegasus GB-X PSG G68X	-	-	-
Guard Booth 10x8	Rizon Pegasus GB-XL PSG G81X	-	-	-
Guard Booth Traffic Gate X2	PSG V2XX	-	-	-



TITAN
FOLDING CHAIR




TITAN
6' TABLE



TITAN
8' TABLE


SITE SERVICES

CLASS	MODEL	WIDTH	MAX LENGTH
Folding Chair	TITAN Folding Chair	-	-
6' Table	TITAN 6' Table	30"	6'
8' Table	TITAN 8' Table	30"	8'



JOBSITE EQUIPMENT



CLASS	MODEL	WIDTH
Bulk-Jobsite Equipment	ZND ST612V	12'
Bulk-Jobsite Equipment	ZND ST812V	12'



GROUND PROTECTION

DESCRIPTION	SIZE RANGE (LxWxH)	WIDTH	MAX LENGTH	PSI (SUBSURFACE DEPENDENT)
Road Plate Steel	4-20' x 4-8' x 5/16-1 1/2"	-	-	-
Wooden Matting	4-8' x 14' x 4 1/2"	-	-	-
Terrain Mat Panels MegaDeck HD+	7.5' x 14' x 4" (105 ft ²)	-	-	600 psi
Turf Protection Panels OmniDeck	6' x 3' x 1 1/2" (18 ft ²)	-	-	600 psi
Event Flooring Panels Matrax	4' x 4' x 1 1/2" (16 ft ²)	-	-	450 psi
Matrax LD Signature Systems Temporary Ground Protection	-	4'	4'	-
Matrax HD Signature Systems Bulk- Ground Protection	-	4'	4'	-
GNB, Clearspan, Temporary Ground Protection	-	10'-500'	1,000'+	-

WELDING, CUTTING AND PIPE FABRICATION





PLASMA CUTTER

LINCOLN ELECTRIC
TOMAHAWK 1500

CO₂



ENGINE DRIVEN WELDERS

CLASS	MODEL	AC GENERATOR POWER CONTINUOUS WATTS PER PHASE	PROCESS
400 Amp Diesel Welder	Lincoln Electric Vantage 322/LE400	3 ph/11,000 W, 1 ph/10,000 W	Stick, Pipe, DC TIG Scratch Start, AC TIG, Touch Start TIG, MIG, Flux Cored, Arc Gouge(3/4)
400 Amp Diesel Welder	Miller Electric Big Blue 400	1 ph/10,000 W	Stick, DC TIG, MIG, Flux-Cored, Pulsed MIG, Arc Gouge (1/4)
500 Amp CC/CV Diesel Welder	Lincoln Electric Vantage 435X	3 ph/17,000 W, 1 ph/11,000 W	Stick, Pipe, DC TIG Scratch Start, AC TIG, Touch Start TIG, MIG, Flux Cored, Arc Gouge (3/8)
500 Amp CC/CV Diesel Welder	Miller Electric Big Blue 500	3 ph/20,000 W, 1 ph/12,000 W	Stick, DC TIG, MIG, Flux-Cored, Pulsed MIG, Arc Gouge(3/8)
500 Amp CC/CV Diesel Welder	Lincoln Electric Vantage 549X	3 ph/19,000 W, 1 ph/11,000 W	Stick, Pipe, DC TIG Scratch Start, AC TIG, Touch Start TIG, MIG, Flux Cored, Arc Gouge(3/8)
500 Amp Air Pak Welder	Lincoln Electric Air Vantage 566	3 ph/20,000 W, 1 ph/12,000 W	Stick, Pipe, DC TIG Scratch Start, AC TIG, Touch Start TIG, MIG, Flux Cored, Arc Gouge(3/8)
400 Amp Dual Operator Diesel Welder	Lincoln Electric Dual Maverick 200/200X	1 ph/10,000 W	Stick, Pipe, DC TIG Scratch Start, Touch Start TIG, MIG, Flux Cored, Arc Gouge(3/8)
400 Amp Dual Operator Diesel Welder	Multiquip DLW400ESA4	1 ph single/12,000 W, 1 ph dual/4,800 W	Stick, DC TIG, MIG, Flux-Cored, Arc Gouge()
Welder Arc Inverter 150 Amp Stick/Tig	Miller Electric Blue Star 185	1 ph/6,500 W	Stick, DC TIG
250-300 AMP Gasoline Welder	Lincoln Electric Ranger 250	1 ph/10,000 W	Stick, TIG, MIG, Flux-Cored, Arc Gouging
250-300 AMP Gasoline Welder	Miller Electric Bobcat 250 & 260	1 ph/9,500 W	Stick, TIG, MIG, Flux-Cored, Arc Gouging
300-400 AMP Gasoline Welder	Lincoln Electric Ranger 330MPX	1 ph/10,000 W	Stick, Pipe, Touch Start TIG, MIG, Flux Cored, Arc Gouge(3/16)
Welder Propane 250-300 AMP	Lincoln Electric Ranger 305 LPG GAW180HEA	1 ph/9,500 W	Stick, Pipe, Touch Start TIG, MIG, Flux Cored, Arc Gouge(3/16)
Welder Arc Inverter 180 Amp Gas	Multiquip GAW180HEA	1 ph/3,000 W	Stick, DC TIG, MIG, Flux-Cored, Arc Gouge()



KEEN OVENS
K-10



KEEN OVENS
K-50



KEEN OVENS
K-450WT

ROD OVENS

CLASS	MODEL	CAPACITY	MAX TEMPERATURE
Welding Rod Oven 10 lb	Keen Ovens K-10	10 lb 14" Rods	300° F
Welding Rod Oven 50 lb	Keen Ovens K-50	50 lb 18" Rods	300° F
Welding Rod Oven 450 lb	Keen Ovens K-450WT	450 lb 18" Rods	550° F



LINCOLN ELECTRIC
X-TRACTOR MINI



LINCOLN ELECTRIC
X-TRACTOR 1GC



LINCOLN ELECTRIC
PRISM MOBILE

FUME EXTRACTION

CLASS	MODEL	INPUT	PROCESS
Extractor Smoke/Fume 50 to 200 CFM	Lincoln Electric X-Tractor Mini	1 ph	Stick (Light Duty), TIG, MIG, Flux-Cored (Light Duty)
Extractor Smoke/Fume 50 to 200 CFM	Lincoln Electric X-Tractor 1GC	1 ph	Stick (Light Duty), TIG, MIG, Flux-Cored (Light Duty)
Extractor Smoke/Fume 700 to 1500 CFM	Lincoln Electric Prism Mobile	1 ph	Stick, TIG, MIG, Flux-Cored



LINCOLN ELECTRIC
LN-25X



MILLER ELECTRIC
SUITCASE 12RC



LINCOLN ELECTRIC
ACTIV8X

SUITCASE WELDERS

CLASS	MODEL	WIRE CAPACITY SOLID WIRE	WIRE CAPACITY CORED WIRE
Welder Mig Wire Feeder Suitcase	Lincoln Electric LN-25-PRO, LN-25X, LN25	.023-1/16	.030-5/64
Welder Mig Wire Feeder Suitcase	Miller Electric Suitcase 12RC	.023-.052	.030-5/64
Welder Mig Wire Feeder Suitcase Compact	Lincoln Electric Activ8x	.023-.045	.030-.072
Welder Mig Wire Feeder Suitcase Compact	Miller Electric ArcReach 8	.023-.052	.030-.5/64



CAPITAL WELD CLEANERS
2X40

WELD CLEANER

CLASS	MODEL	INPUT
Weld Cleaner	Capital Weld Cleaners 2X40	115 & 220



MILLER ELECTRIC
MILLERMATIC 211



LINCOLN ELECTRIC
POWERMIG 210



MILLER ELECTRIC
MILLERMATIC 255

MIG WELDERS

CLASS	MODEL	WIRE CAPACITY SOLID WIRE	WIRE CAPACITY CORED WIRE
Welder Mig 120v	Miller Electric Millermatic 211	.024-.035	.030-.45
Welder Mig Wire Feeder 250 Amp	Lincoln Electric Powermig 210	.035-.045	.030-.045
Welder Mig Wire Feeder 250 Amp	Lincoln Electric Powermig 260	.035-.045	.030-.045
Welder Mig Wire Feeder 250 Amp	Miller Electric Millermatic 255	.023-.045	.030-.045



MILLER ELECTRIC
MAXSTAR 210



MILLER ELECTRIC
DYNASTY 210 DX



MILLER ELECTRIC
DYNASTY 400

TIG WELDERS

CLASS	MODEL	INPUT	PROCESS
Welder Multiprocess	Miller Electric Maxstar 210	1 ph & 3 ph	Stick, DC TIG, Pulsed TIG
Welder Multiprocess	Miller Electric Multimatic 215	1 ph	Stick, DC TIG, MIG
Welder Tig 200 Amp	Lincoln Electric Aspect 230	1 ph & 3 ph	Stick, Touch Start TIG, TIG High-Freq Start
Welder Tig 200 Amp	Miller Electric Dynasty 210 DX	1 ph & 3 ph	Stick, AC/DC TIG, Pulsed TIG
Welder Tig 400 Amp	Miller Electric Dynasty 400	1 ph & 3 ph	Arc Cutting and Gouging, Stick, AC/DC TIG, Pulsed TIG, Aluminum



MILLER ELECTRIC
THUNDERBOLT 160DC



LINCOLN ELECTRIC
FLEXTEC 350X



LEX
WR6A-7SM-FG26DZ6LD-R

INVERTER WELDERS

CLASS	MODEL	INPUT
Welder Arc Inverter 150 Amp Stick/Tig	Lincoln Electric Invertec V155S	1 ph
Welder Arc Inverter 150 Amp Stick/Tig	Miller Electric Thunderbolt 160DC	1 ph & 3 ph
Welder Arc Inverter 280 Amp Boom	Lincoln Electric Invertec V275-S & Invertec V276	1 ph
Welder Arc Inverter 280 Amp Boom	Miller Electric CST-280, CST-282	1 ph & 3 ph
Welder Arc Inverter 350 Amp CC/CV	Lincoln Electric Flextec 350X	3 ph
Welder Arc Inverter 350 Amp CC/CV	Miller Electric XMT 350	1 ph & 3 ph
Welder Arc Inverter 500 Amp	Lincoln Electric Flextec 500X	3 ph
Welder Rack 350 Amp - 4 Pack	Lincoln Electric K3402-2	3 ph
Welder Rack 350 Amp - 4 Pack	Miller Electric Welder 4 Pack	1 ph & 3 ph
Welder Rack 500 Amp - 4 Pack	Lincoln Electric K4770-1	3 ph
Welder Rack 350 Amp - 6 Pack	Lincoln Electric K4277-1	3 ph
Welder Rack 350 Amp - 4 Pack w/ Dist. Panel	Lind Equipment LE-4WR200APT-ES	3 ph
Welder Rack 350 Amp - 6 Pack w/ Dist. Panel	Lex WR6A-7SM-FG26DZ6LD-R	3 ph
Welder Rack 350 Amp - 6 Pack w/ Dist. Panel	Trystar 6XWLDK-350-9KVA-WG	3 ph



HBS
CDI 3102



TRU-WELD
TW6900

STUD WELDERS

CLASS	MODEL	INPUT
Welder Stud 3/8"	HBS CDI 3102	M3 to M10, dia. 3 to 10 mm / #4 to 7/16", dia. #4 to 3/8"
Welder Stud 1 1/4"	Tru-Weld TW6900	1/4" to 1 1/4"



LINCOLN ELECTRIC
PLASMA 20



LINCOLN ELECTRIC
TOMAHAWK 1000



LINCOLN ELECTRIC
TOMAHAWK 1500

PLASMA CUTTERS

CLASS	MODEL	RECOMMENDED	MAXIMUM	SEVERANCE
Cutter Plasma 1/4" Capacity	Lincoln Electric Plasma 20	1/8"	1/4"	1 1/4"
Cutter Plasma 3/8" Capacity	Lincoln Electric Tomahawk 375 Air	5/16"	3/8"	1/2"
Cutter Plasma 1/2" Capacity	Hypertherm Powermax30	3/8"	1/2"	5/8"
Cutter Plasma 1" Capacity	Hypertherm Powermax85	1"	1 1/4"	1 1/2"
Cutter Plasma 1" Capacity	Lincoln Electric Tomahawk 1000	3/4"	1"	1 1/4"
Cutter Plasma 1 1/4" Capacity	Lincoln Electric Tomahawk 1500	1"	1 1/4"	1 1/2"
Cutter Plasma 1 1/2" Capacity	Hypertherm Powermax125	1 1/2"	1 3/4"	2 1/4"



RIDGID
RP350 & 351



RIDGID
20483



RIDGID
RT3422

PIPE JOINING

CLASS	MODEL	CAPACITY
Crimper Pipe Press Cordless	RIDGID RP350 & 351	1/2"–4" for carbon steel*, 1/2"–4" copper and stainless steel, 1/2"–2" for PEX *Press Booster is needed for 2 1/2"–4" carbon steel
Crimper Pipe Press Ring Kit 1/2" to 2"	RIDGID 48553	1/2"–2"
Crimper Pipe Press Ring Kit 2-1/2" to 4"	RIDGID 20483	2 1/2"–4"
Crimper Pipe Press Victaulic Cordless	Victaulic PFT510	1/2"–2"
Lokring MTK60	Lokring MTK60	1/2"–2"
Hot Tap Set 2" Capacity	RIDGID RT3422	1/2"–2"



RIDGID
915



RIDGID
918-I



VICTAULIC
VE270FSD

PIPE JOINING - ROLL GROOVERS

CLASS	MODEL	MOUNTS TO
Roll Groover Manual	RIDGID 915	-
Roll Groover Hydraulic	RIDGID 918-I	All in one
Roll Groover Hydraulic 12"	Victaulic VE272FS	RIDGID 300 or VPD752
Roll Groover Powered 12"	Victaulic VE270FSD	All in one
Roll Groover Hydraulic 16"	Victaulic VE416FS	RIDGID 300 or VPD752




PIPE THREADERS

CLASS	MODEL	DIE HEADS
Pipe Threader Cordless 1/2" - 2"	Milwaukee 2874-22HD	12R
Pipe Threader Manual 1/2" to 2" (12R)	RIDGID 12R	12R
Pipe Threader Powered 1/8" to 2" (700)	RIDGID 700	12R
Pipe Threader Powered 1/8" to 2" (300)	RIDGID 300	811A, 815A, 531, 532
Pipe Threader Powered 1/8" to 2" (535)	RIDGID 535	811A
Pipe Threader Powered 1/4" to 4" (1224)	RIDGID 1224	711 (1/8"-2") / 714 (2 1/2"-4")
Pipe Threader Oiler	RIDGID 418	-



GEARED THREADERS

CLASS	MODEL
Pipe Threader Geared 2 1/2" - 4"	RIDGID 141
Pipe Threader Geared 4" - 6"	RIDGID 161



PIPE CUTTING

CLASS	MODEL	APPLICATION
Pipe Cutter Hinged 4"–6"	Reed H6S	Copper, Sch. 80 Extra Heavy Steel 4-1/2", Sch. 80 Stainless/Sch. 80 Steel 4-5", Sch. 40 Stainless/Sch. 40 Steel 6"
Pipe Cutter Hinged 4"–6"	RIDGID 83080	Copper, Sch. 80 Extra Heavy Steel 4-1/2", Sch. 80 Stainless/Sch. 80 Steel 4-5", Sch. 40 Stainless/Sch. 40 Steel 6"
Pipe Cutter Hinged 6"–8"	Reed H8S	Copper, Sch. 80 Stainless/Sch. 80 Steel 6", Sch. 40 Stainless/Std. Steel 7", Sch. 40 Stainless/Sch. 60 Steel 8"
Pipe Cutter Hinged 8"–12"	RIDGID 83165	-
Saw Pipe Cutting Air	ESCO APS-438	Cuts Boiler Panels, tube, pipe, tanks, sheets and cylindrical structures; 6" I.D. - 60" O.D. 4.375" Cutting Depth
Cutter Track Torch Machine	Profax PFXTCM-100	115V, Travel Speed up to 32" per minute



PIPE EXPANDERS

CLASS	MODEL	CAPACITY
Pipe Pex Expander Cordless 3/8"–1 1/2"	Milwaukee 2632-22XC	3/8"–1 1/2"
Pipe Pex Expander Cordless 1/2"–2"	Milwaukee 2932-22XC	1/2"–2"
Pipe Pex Expander Cordless 2"–3"	Milwaukee 2633-22HD	2"–3"



PIPE FUSION

CLASS	MODEL	CAPACITY
Pipe Fusion Machine Compact 2"-6"	A708402	2" IPS - 6" DIPS
Pipe Fusion Machine 1"-4" Compact	PIT BULL 14	1" IPS - 4" DIPS
Pipe Fusion Machine 4"-12" Track	T412	4" IPS - 12" DIPS
Pipe Fusion Machine 6"-18" Track	T618	6" IPS - 18" DIPS
Pipe Fusion Heater Polypropylene, Large	ASW20301	16-125 mm
Pipe Fusion Depth Gauge Chamfer and Cold Ring Kit	ASW23201	20-50 mm
Pipe Fusion Drill Press	Hornet	Branches up to 63 mm
Pipe Fusion Spider Clamp 2" to 4"	Spider 125 Series 2	2-4"
Pipe Fusion Data Logger	DLP0857716	-



ESCO
G300



ESCO
M-300



ESCO
P-300

MILLING GUNS


CLASS	MODEL	WORKING RANGE	BLADES
Milling Gun Ground 1/2" to 2 1/4"	ESCO G300	0.50" I.D. - 2.25" O.D.	G-Series
Milling Gun Mongoose 5/8" to 3"	ESCO MG-300 & MG-500	0.625" I.D. - 3.0" O.D.	G-Series
Milling Gun Wart Hog 3/4" to 4 1/2"	ESCO H300	0.75" I.D. - 4.5" O.D.	M-Series
Milling Gun Mini 1 1/4" to 6 5/8"	ESCO M-300	1.25" I.D. - 6.625" O.D.	M-Series
Milling Gun Prepzilla 1 1/2" to 8 5/8"	ESCO P-300	1.575" I.D. - 8.625" O.D.	M-Series



RIDGID
B-500

PIPE BEVELING - ELECTRIC PORTABLE

CLASS	MODEL	CAPACITY	POWER SUPPLY
Pipe Beveler Electric Portable	RIDGID B-500	4" diameter and larger, 3/16-1/2" wall	120V



MATHEY
MSA



MATHEY
1SA



H&M
BMH-HD

PIPE BEVELING - SADDLE

CLASS	MODEL	WEIGHT / SHIPPING WEIGHT	STORAGE CONTAINER PARTS / WEIGHT
Pipe Beveler Saddle 2" to 4"	Mathey Dearman & H&M MSA & HM00	10 / 12 lbs	03.0100.BOX / 23 lbs
Pipe Beveler Saddle 3" to 8"	Mathey Dearman & H&M 1SA & HM01	16 / 24 lbs	03.0101.BOX / 33 lbs
Pipe Beveler Saddle 6" to 12"	Mathey Dearman & H&M 2SA & HM02	26 / 34 lbs	03.0102.BOX / 41 lbs
Pipe Beveler Saddle 12" to 20"	Mathey Dearman & H&M 3SA & HM03	50 / 73 lbs	03.0103.BOX / 60 lbs
Pipe Beveler Saddle 20" to 26"	Mathey Dearman & H&M 4SA & HM04	75 / 150 lbs	03.0104.BOX / 75 lbs
Pipe Beveler Saddle 24" to 30"	Mathey Dearman 5SA	110 / 185 lbs	03.0105.BOX 75 lbs
Pipe Beveler Saddle 28" to 36"	Mathey Dearman & H&M 6SA & HM05	180 / 295 lbs	03.0106.BOX / 175 lbs
Pipe Beveler Saddle 36" to 48"	Mathey Dearman 8SA	287 / 537 lbs	03.0108.BOX / 250 lbs
Pipe Beveler Band Motor	H&M BMH-HD	18 lbs	-



BAND 36
730-2107 H&M

PIPE BEVELING - BANDS

CLASS	MODEL	DESCRIPTION
Band 26	730-2105 H&M	Pipe Beveler Band 20–26"
Band 30	730-2106 H&M	Pipe Beveler Band 26–30"
Band 36	730-2107 H&M	Pipe Beveler Band 30–36"



SUMNER
213-16FB-LF



VICTOR
VCT0380-0215



VICTOR
VCT0781-0527

WELDING ACCESSORIES

CLASS	MODEL	CAPACITY/LENGTH
Cart Cylinder Oxygen Acetylene	Sumner 213-16FB-LF	244-330 cu ft oxy 210-420 cu ft acty
Torch Short Barrel	Victor VCT0380-0215	8 1/2"
Torch Long Barrel	Victor VCT0380-0217	14"
Welding Torch Cutter	Victor/Uniweld Various	21-48"
Acetylene Regulator	Victor VCT0781-0527	5-125 psig
Oxygen Regulator	Victor VCT0781-0584	2-15 psig

EquipmentShare can provide all your welding and torch-cutting accessories.





B&B PIPE
2013




B&B PIPE
3510



B&B PIPE
KPDR 400C-1

PIPE HANDLING

CLASS	MODEL	CAPACITY	PIPE SIZE
Pipe Dolly Grasshopper	B&B Pipe & Sumner 2014 & ST-401	2,000 lbs	20"
Pipe Dolly V Cart	B&B Pipe 2013	1,000 lbs	12"
Pipe Jack Stand V Head 3 Leg Up To 12"	B&B Pipe 4100	2,500 lbs	Up to 12"
Pipe Jack Stand V Head 3 Leg Up To 12"	Key Plant KPJH-100A	3,500 lbs	Up to 12"
Pipe Jack Stand V Head 5 Leg Up To 36" Wheeled	B&B Pipe 3510	2,500 lbs	Up to 36"
Pipe Jack Stand V Head 5 Leg Up To 36"	B&B Pipe 3500	5,000 lbs	Up to 36"
Pipe Jack Stand V Head 5 Leg Up To 36"	Key Plant KPJH-300	5,000 lbs	Up to 36"
Pipe Jack Stand Roll Head 3 Leg Up To 24"	Key Plant KPJH-100A-106	3,500 lbs	Up to 24"
Pipe Jack Stand Roll Head 3 Leg Up To 24"	B&B Pipe 4105	2,500 lbs	Up to 24"
Pipe Jack Stand Adjustable Roller Heads 1 1/4 Ton Up To 32"	B&B Pipe 4300	2,500 lbs	Up to 36"
Pipe Jack Stand Adjustable Roller Heads 1 1/2 Ton Up To 36"	B&B Pipe KPDR 400C-1, 4375E	2,500 lbs	Up to 36"
Pipe Jack Stand Adjustable Roller Heads 2 Ton Up To 36"	Key Plant KP-AOS-ST 2-IDLER	4,000 lbs/Set 8,000 lbs	Up to 36"
Pipe Jack Stand Adjustable Roller Heads 2 Ton Up To 36" Motorized	Key Plant KP-AOS-ST2 DRIVE	4,000 lbs/Set 8,000 lbs	Up to 36"
Pipe Jack Stand Adjustable Roller Heads 2 1/2 Ton Up To 48"	Key Plant KPDR-400A	5,000 lbs	Up to 48"
Pipe Jack Stand Adjustable Roller Heads 5 Ton Up To 60"	B&B Pipe 3802	10,000 lbs	4"–60"




PIPE HANDLING (CONTINUED)

CLASS	MODEL	CAPACITY	PIPE SIZE
Pipe Jack Stand Adjustable Roller Heads 7-1/2Ton Up To 60"	B&B Pipe PN3808	15,000 lb	4"-60"
Beam Clamp Pipe Conveyor 2" to 24"	Mathey Dearman 2110	2,500 lb	Up to 24"
Pipe Jack Stand Conveyor 2" to 24"	Mathey Dearman & Key Plant 2115 & 1402	2,500 lb	Up to 24"
Vise Sliding Bar 4"	Baileigh BV-4B	4"	3.5" Max Vise Opening
Vise Bench Chain 6"	RIDGID BC610A	6"	1/4" to 6"
Pipe Tri-Stand Chain Vise	RIDGID & B&B Pipe 460-6 & ^100	-	Up to 6" Pipe Capacity
Sling Pipe 5 Wheel 22' diameter	Mathey Dearman 2001-5	3,000 lb	Up to 22" Pipe Capacity



PIPE HANDLING CLAMPS


CLASS	MODEL
Pipe Clamp Fit up 1" to 14"	Mathey Dearman
Pipe Clamp Ratchet 6" to 36"	KC Welding
Pipe Clamp Lever 8" to 24"	Key Plant
Pipe Clamp Chain Single 10" to 54"	Key Plant
Pipe Clamp Chain Double 10" to 54"	Mathey Dearman





PIPE JACK

CLASS	MODEL
Beam Clamp Pipe Jack 6 Ton	Bobby Jack


TORQUING, HYDRAULIC AND ELECTRIC POWER TOOLS





DEMOLITION HAMMER

MILWAUKEE MXF368-1XC





HYTORC
HBT1507



HYTORC
PES




HYTORC
TSR2

BOLT TENSIONING

CLASS	MODEL	BOLT DIAMETER	MAX LOAD
Torque Tensioning Pump Air Driven Hydraulic	HBT1507	-	-
Torque Tensioning Pump Electric Driven Hydraulic	PES	-	-
Torque Tensioning #0 Load Cell	TSR0	3/4", 7/8"	35,970 lbf
Torque Tensioning #1 Load Cell	TSR1	1", 1-1/8"	62,950 lbf
Torque Tensioning #2 Load Cell	TSR2	1", 1-1/8", 1-1/4", 1-3/8"	101,160 lbf
Torque Tensioning #3 Load Cell	TSR3	1-1/4", 1-3/8", 1-1/2", 1-5/8"	148,370 lbf
Torque Tensioning #4 Load Cell	TSR4	1-1/2", 1-5/8", 1-3/4", 1-7/8", 2"	224,810 lbf
Torque Tensioning #5 Load Cell	TSR5	2", 2-1/4", 2-1/2", 2-3/4"	337,210 lbf
Torque Tensioning #6 Load Cell	TSR6	2-3/4", 3", 3-1/4", 3-1/2"	562,020 lbf
Torque Tensioning #7 Load Cell	TSR7	3-1/2", 3-3/4", 4"	719,390 lbf
Torque Tensioning #0 to #7 Adapter Kit 3/4" to 4"	Various	3/4" to 4"	35,970-719,390 lbf

EquipmentShare has mobile repair, calibration and certification for your torquing equipment.





HYDRAULIC WRENCHES - SQUARE DRIVE

CLASS	MODEL	TORQUE RANGE
Wrench Torque Hydraulic Square Drive 3/4" 1.4K	TORCUP TU-2	127-1270
Wrench Torque Hydraulic Square Drive 3/4" 1.4K	TORCUP SQ-1	156-1414
Wrench Torque Hydraulic Square Drive 1" 3K	TORCUP TU-3	330-3330
Wrench Torque Hydraulic Square Drive 1" 3K	TORCUP SQ-3	379-3515
Wrench Torque Hydraulic Square Drive 1-1/2" 3K	TORCUP SQ-5	507-5523
Wrench Torque Hydraulic Square Drive 1 1/2" 11K	TORCUP SQ-10	956-10620
Wrench Torque Hydraulic Square Drive 1 1/2" 11K	TORCUP TU-11	1100-11010
Wrench Torque Hydraulic Square Drive 2 1/2" 60K	TORCUP TU-60	5800-58000



TORCUP
TX-1



TORCUP
TX-4

HYDRAULIC WRENCHES - LOW PROFILE

CLASS	MODEL	TORQUE RANGE	HEX SIZE RANGE
Wrench Torque Hydraulic Low Profile 1K Drive	TORCUP TX-1	45-560	1/2"-2"
Wrench Torque Hydraulic Low Profile 2K Drive	TORCUP TX-2, TXU-2	192-1,928	3/4"-2-9/16"
Wrench Torque Hydraulic Low Profile 4K Drive	TORCUP TX-4, TXU-4	395-3,950	1"-3-1/8"
Wrench Torque Hydraulic Low Profile 8K Drive	TORCUP TX-8, TXU-8	830-8,630	1-7/8"-4-5/8"
Wrench Torque Hydraulic Low Profile 16K Drive	TORCUP TX-16	1,560-16,600	2-3/16"-5-5/16"
Wrench Torque Hydraulic Low Profile 45K Drive	TORCUP TX-45	4,850-47,380	3 1/8"-7 7/8"



TORCUP
AP1000



TORCUP
EP1000-Q

HYDRAULIC TORQUE WRENCH PUMPS

CLASS	MODEL	POWER REQUIREMENTS	FLOW RATE AND PRESSURE CAPABILITIES
Wrench Torque Pump Air Driven Hydraulic	TORCUP AP1000	4 hp @ 90 psi/50 cfm	700 cu in/min @1,100 psi
Wrench Torque Pump Electric Driven Hydraulic	TORCUP EP1000	1.5 hp @ 115 VAC Single Phase	700 cu in/min
Wrench Torque Pump Air Driven Hydraulic Quad Port	TORCUP AP1000-Q	4 hp @ 90 psi/50 cfm	700 cu in/min @1,100 psi
Wrench Torque Pump Electric Driven Hydraulic Quad Port	TORCUP EP1000-Q	1.5 hp @ 115 VAC Single Phase	700 cu in/min



WRENCH TORQUE GUNS

CLASS	MODEL	MAX PSI	TORQUE RANGE
Wrench Torque Gun 3/4" Air	TORCUP RP-500	80	78–530 ft-lbs
Wrench Torque Gun 1" Air 1K	TORCUP RP-1000-1	70	148–1,030 ft-lbs
Wrench Torque Gun 1" Air 2K	TORCUP RP-2000	90	231–2,015 ft-lbs
Wrench Torque Gun 1" Air 3K	TORCUP RP-3000	65	484–3,070 ft-lbs



AIR REGULATORS

CLASS	MODEL	HOSE LENGTH
Wrench Torque Gun Air Regulator	TORCUP RP-FRL	10' Hose
Wrench Torque Gun Air Regulator	TORCUP RPDD-FRL	15' Hose



TORCUP
VT-1000KIT



TORCUP
VT-2000KIT



B-RAD
401800

BATTERY TORQUE WRENCHES

CLASS	MODEL	RPM @ MAX TORQUE	TORQUE RANGE
Wrench Torque Gun 3/4" Cordless	TORCUP VT-500KIT	20	120–500 ft-lbs
Wrench Torque Gun 1" Cordless 1K	TORCUP VT-1000KIT	8	240–1,000 ft-lbs
Wrench Torque Gun 1" Cordless 2K	TORCUP VT-2000KIT	5	500–2,000 ft-lbs
Wrench Torque Gun 1" Cordless 3K	TORCUP VT-3000KIT	2	750–3,000 ft-lbs
Wrench Torque Gun 1" Cordless 3K	B-RAD 401800	20	600–3,000 ft-lbs
Wrench Torque Gun 1-1/2" Cordless 6K	TORCUP VT-6000KIT	2	1,200–6,000 ft-lbs



MANUAL TORQUING

CLASS	MODEL	LENGTH	TORQUE RANGE
Wrench Torque Manual 1/4"	CDI 1501MRMH	10"	20–150 in-lbs
Wrench Torque Manual 1/2" Digital Cordless	MILWAUKEE 2466-22HD	23–1/2"	-
Wrench Torque Manual 1/2" Digital Bluetooth	NORBAR 130515	27"	12.5–250 ft-lbs
Wrench Torque Manual 3/8" Digital Bluetooth	NORBAR 130512	18"	3.6–73.7 ft-lbs
Wrench Torque Manual 3/8"	PROTO J6006C	15–1/32"	16–80 ft-lbs
Wrench Torque Manual 3/8"	CDI 752MFRMH	16"	5–75 ft-lbs
Wrench Torque Manual 3/8"	PROTO J6012C	16–1/2"	20–100 ft-lbs
Wrench Torque Manual 1/2" 30 to 150 ft-lbs	CDI 1503MFRMH	19"	20–150 ft-lbs
Wrench Torque Manual 1/2" 30 to 150 ft-lbs	PROTO J6016C	19"	30–150 ft-lbs
Wrench Torque Manual 1/2" 50 to 250 ft-lbs	CDI 2503MFRPH	26–17/64"	30–250 ft-lbs
Wrench Torque Manual 1/2" 50 to 250 ft-lbs	PROTO J6014C	26–17/64"	50–250 ft-lbs
Wrench Torque Manual 3/4" 60 to 300 ft-lbs	PROTO J6018AB	32–3/4"	60–300 ft-lbs
Wrench Torque Manual 3/4 120 to 600 ft-lbs	CDI 6004MFRMH	49"	100–600 ft-lbs
Wrench Torque Manual 3/4 120 to 600 ft-lbs	PROTO J6020AB	49"	120–600 ft-lbs
Wrench Torque Manual 1" 200 to 1,000 ft-lbs	PROTO J6023	69"	200–1,000 ft-lbs
Wrench Torque Manual 1" 200 to 1,000 ft-lbs	WRIGHT 8447	70"	200–1,000 ft-lbs



PROTO
J6020AB



PROTO
J6023



WRIGHT
9S393A

MANUAL TORQUING (CONTINUED)

CLASS	MODEL	LENGTH	TORQUE RANGE
Torque Multiplier 1/2" x 3/4" 200 to 1,200 ft-lbs	PROTO J6212	19-19/32"	200-1,200 ft-lbs
Torque Multiplier 1/2" x 3/4" 200 to 1,200 ft-lbs	WRIGHT 9S9391	19-19/32"	200-1,200 ft-lbs
Torque Multiplier 1/2" x 1" 162 to 2,200 ft-lbs	PROTO J6222, J6234	19-19/32"	162-2,200 ft-lbs
Torque Multiplier 1/2" x 1" 173 to 3,200 ft-lbs	WRIGHT 9S393A	19-5/8"	173-3,200 ft-lbs
Torque Multiplier 1/2" x 1" 173 to 3,200 ft-lbs	PROTO J6232	19-5/8"	172-3,200 ft-lbs



TONE
GS-91EZ



TONE
S-61EZ



TONE
GHC-241EZ

SHEAR WRENCHES

CLASS	MODEL	TORQUE RANGE	ADAPTABLE DIAMETER
Shear Wrench 5/8" to 1" Electric	TONE GS-91EZ	810 ft-lbs	5/8"-1"
Shear Wrench 5/8" to 7/8" Electric	TONE S-61EZ	435 ft-lbs	5/8"-7/8"
Shear Wrench 5/8" to 1" Electric, Low Clearance	TONE GHC-241EZ	920 ft-lbs	5/8"-1"



ENERPAC
P392




ENERPAC
P462




ENERPAC
ZU4408JB

HYDRAULIC MANIFOLDS


CLASS	MODEL	RESERVOIR CAPACITY
Pump Hand Hydraulic <100 Cu. In.	ENERPAC P392	55 cu in
Pump Hand Hydraulic <100 Cu. In.	POWER TEAM P59L	66 cu in
Pump Hand Hydraulic 100 to 300 Cu. In.	ENERPAC P80	134 cu in
Pump Hand Hydraulic 100 to 300 Cu. In.	SPX POWER TEAM P159	137 cu in
Pump Hand Hydraulic >300 Cu. In.	ENERPAC P462	453 cu in
Pump Hand Hydraulic >300 Cu. In.	POWER TEAM P460	460 cu in
Pump Electric Driven Hydraulic 1/2 to 1 Gal	ENERPAC PUD1100B	0.5 gal
Pump Electric Driven Hydraulic Double Action	ENERPAC ZU4408JB	2 gal
Pump Electric Driven Hydraulic Double Action	ENERPAC ZU4420PB-R	5 gal
Pump Electric Driven Hydraulic Double Action	POWER TEAM PE554	5 gal



ENERPAC
AM21



ENERPAC
AM41



ENERPAC
AMGC41

HYDRAULIC TOOL PUMPS

CLASS	MODEL	INLET SIZE
Manifold Hydraulic 2 Port Split Flow	ENERPAC AM21	3/8" nptf
Manifold Hydraulic 7 Port	ENERPAC AM41	3/8" nptf
Manifold Hydraulic 7 Port	POWERTEAM 9644	3/8" nptf
Manifold Hydraulic 4 Port Split Flow	ENERPAC A64	3/8" nptf
Manifold Hydraulic 4 Port Split Flow	POWERTEAM A65	3/8" nptf
Manifold Hydraulic 4 Port Split Flow with Gauges	ENERPAC AMGC41	3/8" nptf



ENERPAC
SOH106



ENERPAC
SOH236



ENERPAC
LW16

HYDRAULIC JACKS

CLASS	MODEL	LOWERED TOE HEIGHT	STROKE
Toe Jack 9 Ton Hydraulic	ENERPAC SOH106	.79"	5.39"
Toe Jack 20 Ton Hydraulic	ENERPAC SOH236	1.18"	6.18"
Lifting Wedge 16 Ton Hydraulic	ENERPAC LW16	.39"	.83"



HYDRAULIC LIFT CYLINDERS

CLASS	MODEL	COLLAPSED HEIGHT	EXTENDED HEIGHT
Lift Cylinder Hydraulic 5 Ton 1" Stroke	ENERPAC RC51	1.69"	2.13"
Lift Cylinder Hydraulic 5 Ton 3" Stroke	ENERPAC RC53	6.5"	9.5"
Lift Cylinder Hydraulic 10 Ton 7/16" Stroke	ENERPAC RSM100	1.69"	2.13"
Lift Cylinder Hydraulic 10 Ton 7/16" Stroke	POWER TEAM RLS100	1.75"	2.19"
Lift Cylinder Hydraulic 10 Ton 2" Stroke	ENERPAC RC102	4.78"	6.91"
Lift Cylinder Hydraulic 10 Ton 2" Stroke	POWER TEAM C102C	4.75"	6.88"
Lift Cylinder Hydraulic 10 Ton 4" Stroke	ENERPAC RC104	6.75"	10.88"
Lift Cylinder Hydraulic 10 Ton 4" Stroke	POWER TEAM C104C	6.75"	10.88"
Lift Cylinder Hydraulic 10 Ton 6" Stroke	ENERPAC RC106	9.75"	15.88"
Lift Cylinder Hydraulic 10 Ton 6" Stroke	POWER TEAM C106C	9.75"	15.88"
Lift Cylinder Hydraulic 10 Ton 8" Stroke	ENERPAC RC108	11.75"	19.75"
Lift Cylinder Hydraulic 10 Ton 8" Stroke	POWER TEAM C108C	11.75"	19.88"
Lift Cylinder Hydraulic 10 Ton 10" Stroke	POWER TEAM RC1010	13.75"	23.88"
Lift Cylinder Hydraulic 20 Ton 7/16" Stroke	POWER TEAM RLS200	2"	2.44"
Lift Cylinder Hydraulic 20 Ton 7/16" Stroke	ENERPAC RSM200	2.03"	2.47"
Lift Cylinder Hydraulic 25 Ton 2" Stroke	ENERPAC RC252	6.5"	8.5"



HYDRAULIC LIFT CYLINDERS (CONTINUED)

CLASS	MODEL	COLLAPSED HEIGHT	EXTENDED HEIGHT
Lift Cylinder Hydraulic 25 Ton 2" Stroke	POWER TEAM C252C	6.5"	8.5"
Lift Cylinder Hydraulic 25 Ton 4" Stroke	POWER TEAM C254C	8.5"	12.5"
Lift Cylinder Hydraulic 25 Ton 4" Stroke	ENERPAC RC254	8.5"	12.5"
Lift Cylinder Hydraulic 25 Ton 6" Stroke	POWER TEAM C256C	10.75"	17"
Lift Cylinder Hydraulic 25 Ton 6" Stroke	ENERPAC RC256	10.75"	17"
Lift Cylinder Hydraulic 25 Ton 8" Stroke	ENERPAC RC258	12.75"	21"
Lift Cylinder Hydraulic 25 Ton 10" Stroke	POWER TEAM C2510C	14.75"	25"
Lift Cylinder Hydraulic 25 Ton 10" Stroke	ENERPAC RC2510	14.75"	25"
Lift Cylinder Hydraulic 30 Ton 1/2" Stroke	POWER TEAM RLS300	2.31"	2.81"
Lift Cylinder Hydraulic 30 Ton 1/2" Stroke	ENERPAC RSM300	2.31"	2.81"
Lift Cylinder Hydraulic 30 Ton 2 1/2" Stroke	ENERPAC RCH302	7.03"	9.53"
Lift Cylinder Hydraulic 30 Ton 6" Stroke	ENERPAC RCH306	13"	19.13"
Lift Cylinder Hydraulic 50 Ton 5/8" Stroke	POWER TEAM RLS500S	2.63"	3.25"
Lift Cylinder Hydraulic 50 Ton 5/8" Stroke	POWER TEAM RSM500	2.63"	3.25"
Lift Cylinder Hydraulic 50 Ton 2" Stroke	ENERPAC RCS502	4.81"	7.19"
Lift Cylinder Hydraulic 50 Ton 2" Stroke	SPX POWER TEAM RSS502	5"	7.38"



ENERPAC
RC506



ENERPAC
RSM1000



ENERPAC
RC1006

HYDRAULIC LIFT CYLINDERS (CONTINUED)

CLASS	MODEL	COLLAPSED HEIGHT	EXTENDED HEIGHT
Lift Cylinder Hydraulic 50 Ton 2" Stroke	ENERPAC RC502	6.94"	8.94"
Lift Cylinder Hydraulic 50 Ton 4" Stroke	ENERPAC RC504	8.94"	12.94"
Lift Cylinder Hydraulic 55 Ton 2" Stroke	POWER TEAM C552C	6.88"	8.88"
Lift Cylinder Hydraulic 55 Ton 4" Stroke	POWER TEAM C554C	9.13"	13.38"
Lift Cylinder Hydraulic 55 Ton 6" Stroke	ENERPAC RC506	11.13"	17.38"
Lift Cylinder Hydraulic 55 Ton 6" Stroke	POWER TEAM C556C	11.13"	17.38"
Lift Cylinder Hydraulic 60 Ton 6" Stroke	ENERPAC RCH606	12.75"	18.75"
Lift Cylinder Hydraulic 100 Ton 5/8" Stroke	ENERPAC RSM1000	3.38"	4"
Lift Cylinder Hydraulic 100 Ton 5/8" Stroke	POWER TEAM RLS1000S	3.38"	4"
Lift Cylinder Hydraulic 100 Ton 3" Stroke	ENERPAC RCH1003	10"	13"
Lift Cylinder Hydraulic 100 Ton 6 5/8" Stroke	POWER TEAM C1006C	13.25"	19.88"
Lift Cylinder Hydraulic 100 Ton 6 5/8" Stroke	POWER TEAM R1006C	9.5"	15.5"
Lift Cylinder Hydraulic 100 Ton 6 5/8" Stroke	ENERPAC RC1006	14.06"	20.69"
Lift Cylinder Hydraulic 200 Ton 6" Stroke	ENERPAC HCG-2006	13.03"	18.94"



MANUAL, ELECTRIC AND HYDRAULIC PUNCHES

CLASS	MODEL	CAPACITY (HOLE SIZE)	POWER SUPPLY
Punch Steel 11 Ton Cordless	HOUGEN MFG 76000PR	19/32"	115V
Punch Steel 27 Ton Electric	HOUGEN MFG 75006PR	15/16"	120V
Punch Steel 20 Ton Manual	ROPER WHITNEY MODEL 20	13/16"	Manual
Punch Steel 35 Ton Hydraulic	ENERPAC SP35	3/8"–1/2"	Hydraulic Pump
Punch Steel 35 Ton Hydraulic	POWER TEAM HP35S	7/16"–13/16"	Hydraulic Pump
Punch Steel 50 Ton Hydraulic	ENERPAC SP50100	1/2"–1-1/16"	Hydraulic Pump
Punch Steel 50 Ton Hydraulic	NITTO KOHK HS11-1624	1/2"–1-1/16"	Hydraulic Pump



NUT SPLITTERS

CLASS	MODEL	MAX NUT SIZE	POWER SUPPLY
Nut Splitter 12 Ton Hydraulic	ENERPAC NSH1927	1.06"	P80, P392 Pump
Nut Splitter 15 Ton Hydraulic	ENERPAC NSH2432	1.26"	P80, P392 Pump
Nut Splitter 15 Ton Hydraulic	SPX POWER TEAM HNS150	1.5"	P80, P392 Pump
Nut Splitter 20 Ton Hydraulic	ENERPAC NSH3646	1.81"	P80, P392 Pump
Nut Splitter 25 Ton Hydraulic	POWER TEAM HNS225	2.25"	P80, P392 Pump
Nut Splitter 36 Ton Hydraulic	ENERPAC NSH5065	2.56"	P80, P392 Pump
Nut Splitter 50 Ton Hydraulic	ENERPAC NSH6575	2.95"	P80, P392 Pump



PETOL
P95-525



ENERPAC
FSH14



ENERPAC
FA9TESTD

FLANGE SPREADERS

CLASS	MODEL	MAX SPREAD
Flange Spreader Wedge 15 Ton Manual	ENERPAC SW11214TMSTDSPB	4.1"
Flange Spreader Wedge 1 Ton Hydraulic	BVA SR10	3.9"
Flange Spreader Wedge 14 Ton Hydraulic	ENERPAC FSH14	3.16"
Flange Spreader Wedge 15 Ton Hydraulic	POWER TEAM FLS15-ST	0.57"
Flange Spreader Ratchet 5 Ton Pop-It	PETOL P95-525	1/16" to 5-1/4" spread
Flange Spreader Ratchet 15 Ton Pop-It	PETOL PHD0535	1/2" to 5-1/2" spread @30,000 Force/ 3" to 8-1/2" spread @ 20,000 Force
Flange Aligner Ratchet 4 Ton	ENERPAC FA4TMSTD	-
Flange Aligner Hydraulic 10 Ton	ENERPAC FA9TESTD	-



GEARWRENCH
FTS212



GEARWRENCH
FTS1426



HILTI
X-BT

HAND TOOLS

CLASS	MODEL	COMMON USE
Flange Alignment Pin Kit 3/4" to 1-3/8"	FIT UP PRO FAB KIT	Aligns flanges for welding in piping systems
Flange Alignment Pin Kit 3/4" to 1-3/8"	GEARWRENCH FTS212	Aligns bolt holes on flanges prior to inserting bolts
Flange Alignment Pin Kit 1-1/2" to 2"	GEARWRENCH FTS1426	Aligns larger flanges for precise welding in piping systems
Wrench Torque Threaded Stud 1/4"	HILTI X-BT	Tightening the flange nut of the X-BT-MF composite stud



GREENLEE
7310SB



MILWAUKEE
2676-22



MILWAUKEE
49-16-2695

KNOCKOUT PUNCH KITS

CLASS	MODEL	BENDING MATERIALS
Punch Knockout Set 1/2" to 4" Hydraulic	CURRENT TOOLS 154PM	Punch up to 10 gauge mild steel
Punch Knockout Set 1/2" to 4" Hydraulic	GREENLEE 7310SB	Punch up to 10 gauge mild steel or 12 gauge stainless steel
Punch Knockout Set 1/2" to 4" Cordless	MILWAUKEE 2676-22	Punch up to 12 gauge mild steel and 14 gauge stainless steel
Punch Knockout Set 1/2" to 4" Cordless	GREENLEE LS100X11SB4X	For punching holes in mild steel, stainless steel, aluminum, brass, copper, fiberglass and plastics
Punch Knockout Dies 2 1/2" to 4"	MILWAUKEE 49-16-2695	Punch up to 10 gauge mild steel and stainless steel



ENERPAC
SGH36

SYNC PULLER

CLASS	MODEL	MAX SPREAD/MAX REACH	MAX OPERATING PRESSURE
Grip Puller 36 Ton	ENERPAC SGH36	25.59"/16.14"	10,000 psi



CABLE PULLERS AND FEEDERS

CLASS	MODEL	CAPACITY	FEET PER MINUTE
Cable Puller 2,000 lb Electric	GREENLEE G3	1/2" Diameter Rope	41'-97' per min depending on load
Cable Puller 3,000 lb Electric	CURRENT 33	9/16" Diameter Rope	22'-84' per min depending on load
Cable Puller 6,000 lb Electric	GREENLEE G6	3/4" Diameter Rope	11'-28' per min depending on load
Cable Puller 6,000 lb Electric	CURRENT 66	3/4" Diameter Rope	14'-44' per min depending on load
Cable Puller 8,000 lbs Electric	CURRENT 8890A	3/4" Diameter Rope	7'-16' per min depending on load
Cable Puller 8,000 lbs Electric	GREENLEE UT8	7/8" Diameter Rope	6'-19' per min depending on load
Cable Puller 10,000 lbs Electric	CURRENT 100A	7/8" Diameter Rope	8'-12' per min depending on load
Cable Puller 10,000 lbs Electric w/ Floor Mount	CURRENT 110	7/8" Diameter Rope	8'-12' per min depending on load
Cable Puller 10,000 lbs Electric w/ Chain Mount	CURRENT 120CT	7/8" Diameter Rope	8'-12' per min depending on load
Cable Puller 10,000 lbs Electric	GREENLEE UT10	7/8" Diameter Rope	6'-16' per min depending on load
Cable Puller 20,000 lbs Electric	ITool MVP20K	7/8" Diameter Rope	65' per min depending on load
Cable Puller Force Gauge	ITool SPRLT20K	3/4" Diameter Rope	65' per min depending on load
Cable Feeder	SOUTHWIRE MCF-01	3-1/2" Diameter Rope	0'-36' per min depending on load
Cable Feeder	GREENLEE GRL6810	3-1/2" Diameter Rope	0'-36' per min depending on load
Cable Feeder	CURRENT 99	3-1/2" Diameter Rope	4'-36' per min depending on load



PULLING ACCESSORIES

CLASS	MODEL
Sheave Triple Guide 36" 4,000 lb	CURRENT TOOLS 9236
Sheave Triple Guide 36" 6,500 lb	GREENLEE 6036
Sheave Triple Guide 36" 6,500 lb	CURRENT 333
Sheave Tray, 12"	CURRENT 658
Sheave Tray 12"	CURRENT TOOLS 951TR
Sheave Tray 24"	CURRENT 952TR
Cable Puller Rope 9/16" x 600'	CURRENT 916600PR
Cable Puller Rope 9/16" x 1,200'	CURRENT 9161200PR
Cable Puller Rope 7/8" x 1,200'	SOUTHWIRE P-7812
Cable Puller Rope 7/8" x 1,200'	CURRENT 781200PR
Sheave Hook 12" 8,000 lb	GREENLEE 8012
Sheave Hook 12" 8,000 lb	CURRENT 812
Sheave Hook 18" 8,000 lb	GREENLEE 8018
Sheave Hook 18" 8,000 lb	CURRENT 818
Sheave Hook 24" 8,000 lb	CURRENT 824
Sheave Hook 24" 8,000 lb	SOUTHWIRE SH24-8
Sheave Radius 24" 4,000 lb	CURRENT 9224EZ
Sheave Radius 24" 4,000 lb	CURRENT 9224



REELS AND ROLLERS

CLASS	MODEL
Cable Reel Jack Screw 28" to 56" Diameter	CURRENT 660
Cable Reel Spindle 62"	CURRENT 661
Cable Reel Jack Ratchet 58" to 90" Diameter	CURRENT 680
Cable Reel Spindle 100"	CURRENT 681
Cable Reel Spindle 76"	GREENLEE 684
Cable Reel Jack Pair 20 Ton	GREENLEE CRA1029
Cable Reel Jack Screw 28" to 56" Diameter	CURRENT 687
Cable Reel Roller 15 Ton Electric	SOUTHWIRE 615 RR-SW30
Cable Reel Jack Crank	GREENLEE RXM
Cable Roller 24" Right Angle	CURRENT 95024RA



ELECTRIC CRIMPERS

CLASS	MODEL	CAPACITY
Crimper Cable Cordless Dieless	MILWAUKEE 2877-22	#6 AWG to 750 MCM Cu & Dual Rated Connectors
Crimper Cable Cordless Dieless	DEWALT DCE350M2	#8 - 750 MCM Cu / 750 Al crimping capacity for copper and aluminum cable and connectors
Crimper Cable Cordless 12 Ton	GREENLEE EK1240LX11	750 Kcmil (MCM) Cu & Al
Crimper Cable U Dies 12 Ton Aluminum	GREENLEE KD12AL	-
Crimper Cable U Dies 12 Ton Copper	GREENLEE KD12CU	-




CABLE CUTTERS

CLASS	MODEL	COMMON USE
Cable Cutter Cordless	MILWAUKEE 2776-21	Cuts up to 1500MCM Copper
Cable Cutter Manual Ratchet	GREENLEE 759	Aluminum 750 kcmil, Communication Cable 1-1/8", Copper 500 kcmil
Cable Cutter Manual Ratchet	HK PORTER 8690FH	Cuts hard cable, ACSR, ACAR, ZEBRA, and self-supporting telephone cable



CONDUIT BENDERS

CLASS	MODEL	BENDING MATERIALS
Bender Tube Ratchet Manual 3/4"	RIDGID 35175	-
Bender Tube 1/2" to 1 1/8" Electric	ROTHENBERGER ROBEND 4000	-
Bender Pipe Conduit 1/2" to 2" Electric	GARDNER BENDER B2000	Rigid, Rigid Aluminum, EMT & IMC
Bender Pipe Conduit 1/2" to 2" Electric	GREENLEE 555RSC	Rigid, IMC, EMT & PVC Coated Rigid
Bender Pipe Conduit 1/2" to 2" Electric	CURRENT TOOLS 77SR	Rigid, IMC, EMT & PVC Coated Rigid
Bender Pipe Conduit 1/2" to 2" Single Shoe Electric	GREENLEE 854	Rigid, IMC, EMT
Bender Pipe Conduit 1/2" to 2" Hydraulic	ENERPAC STB101H	Mild Steel
Bender Pipe Conduit 3/4" to 2" Programmable Electric	GREENLEE 855GX	3/4" to 2" Rigid 1" to 2" EMT & IMC
Bender Pipe Conduit 2 1/4" to 4" Hydraulic	CURRENT TOOLS 254P	Rigid, EMT & IMC conduit
Bender Pipe Conduit 2 1/4" to 4" Hydraulic	GREENLEE 881CTE980	Rigid, EMT & IMC conduit
Bender Pipe Conduit Table	GREENLEE 881-MBT	-
Bender Pipe Conduit Table	CURRENT TOOLS 252-CT	-



PVC BENDERS

CLASS	MODEL	CAPACITY
Bender PVC Heater 1/2" to 2" Electric	GREENLEE 849	Heats 24" long PVC pipe
Bender PVC Heater 1/2" to 2" Electric	CURRENT TOOLS 450	Heats 24" long PVC pipe
Bender PVC Heater 1" to 6" Electric	GREENLEE 847	Heats 65" long PVC pipe
Bender PVC Heater 1" to 6" Electric	CURRENT TOOLS 452	Heats 65" long PVC pipe
Bender PVC Heater 1/2" to 4" Electric	GREENLEE 851	Heats 50" long PVC pipe
Bender PVC Heater 1/2" to 4" Electric	CURRENT TOOLS 451	Heats 50" long PVC pipe



BEARING HEATERS

CLASS	MODEL	O. D. CAPACITY	VOLTS
Bearing Heater	BESSEY SC 110V	4"x11"	110 V
Bearing Heater	BESSEY BC 440V	7"x22"	480 V



MAGNETIC DRILLS

CLASS	MODEL	WEIGHT
Drill Press Magnetic 1 3/8" Low Profile	HOUGEN MFG HMD130	24 lbs
Drill Press Magnetic 1 3/8" Low Profile	CS UNITEC MAB155	24 lbs
Drill Press Magnetic 1 3/8" Air	BDS AIRMAB 5000	39 lbs
Drill Press Magnetic 1 1/4" Electric Pipe	MAGSWITCH DISRUPTOR 30	24.2 lbs
Drill Press Magnetic 1 1/2" Cordless	MILWAUKEE 2788-20HD	29.5 lbs
Drill Press Magnetic 1 1/2" Cordless	MILWAUKEE 2788-22HD	29.5 lbs
Drill Press Magnetic 1 1/2" Cordless	MILWAUKEE 2787-20HD	29.5 lbs
Drill Press Magnetic Base	MILWAUKEE 4203	41 lbs
Drill Press Magnetic 3/4" Electric	MILWAUKEE 4206-1	70 lbs
Drill Press Magnetic 1 1/8" Electric	SLUGGER 21VJ79	22 lbs
Drill Press Magnetic 1 1/4" Electric	MILWAUKEE 843347	72 lbs
Drill Press Magnetic 1 1/2" Electric	HOUGEN MFG HMD904	30 lbs
Drill Press Magnetic 1 5/8" Electric	MILWAUKEE 4272-21	30 lbs
Drill Press Magnetic 1 5/8" Electric	CS UNITEC MABASIC450	30 lbs
Drill Press Magnetic 2" Electric	DEWALT DWE1622	33 lbs
Drill Press Magnetic 2 3/16" Electric	EUROBOOR ECO 55-T	28.4 lbs



MAGNETIC DRILLS (CONTINUED)

CLASS	MODEL	WEIGHT
Drill Press Magnetic 2 3/8" Electric	HOUGEN MFG HMD917	46 lbs
Drill Press Magnetic 2 3/8" Electric	HOUGEN MFG HMD920	46 lbs
Drill Press Magnetic 3 1/16" Electric	HOUGEN MFG HMD934	72 lbs
Drill Press Magnetic 4 1/16" Electric	CS UNITEC MAB825	68 lbs
Drill Press Pipe Hole Electric	WHEELER REX 3092	58 lbs
Drill Press Magnetic 2" Low Profile	UNIBOR E5000LP	24 lbs



DRILL PRESS

CLASS	MODEL	DRILLING CAPACITY
Drill Press Bench Top 16"	BAILEIGH DP-4016B	3/4" Mild Steel



DRILLS AND ROTARY HAMMERS

CLASS	MODEL	COMMON USE
Drill 1/2" Electric	HILTI BX 3-BT	X-BT Stud Fastening
Drill 1/2" Driver Cordless	HILTI SBT 4-A22	Predrilling accurate holes and installing fasteners
Drill Rail 1-11/16" Gas	TRAX 910195	Wood / Metal / Masonry
Drill Hammer Rotary 1/2" Cordless	MILWAUKEE 2806-22	Concrete
Drill Hammer Rotary 1-1/4" Cordless SDS Plus	BOSCH GBH18V-34CQN	Concrete
Drill Hammer Rotary 5/8" Electric SDS Plus	MILWAUKEE 5263-20	Concrete
Drill Hammer Rotary 5/8" Electric SDS Plus	MILWAUKEE 5263-21	Concrete
Drill Hammer Rotary 1" Electric SDS PLUS	MILWAUKEE 5262-21	Concrete
Drill Hammer Rotary 1-1/8" Electric SDS Plus	MILWAUKEE 5268-21	Concrete
Drill 3/8" Electric Right Angle	DEWALT DW160V	Wood / Metal / Masonry
Drill 1/2" Electric Right Angle	MILWAUKEE 3107-6	Wood / Metal / Plastic / Composite
1/2" Driver Cordless	MILWAUKEE 2607-22CT	Fastening
Drill 1/2" Cordless	MILWAUKEE 2805-22	Wood / Steel
Drill 1/2" Cordless	DEWALT DCD980M2	Wood / Steel
Drill 1/2" Electric	DEWALT DW235G	Wood / Steel
Drill 1/2" Electric	DEWALT DWD210G	Wood / Steel



DEWALT
DWD220



HILTI
SF BT 22-A



MILWAUKEE
49-22-4105

DRILLS AND ROTARY HAMMERS (CONTINUED)

CLASS	MODEL	COMMON USE
Drill 1/2" Electric	DEWALT DWD220	Wood / Steel
Drill 1/2" Electric	HILTI SF BT 22-A	Wood / Steel
Drill 1/2" Electric	MILWAUKEE 0234-6	Plastic
Drill 3/4" Electric	MILWAUKEE 1854-1	Wood / Steel
Drill Hole Saw Kit	MILWAUKEE 49-22-4105	-



HILTI
DX 351-BTG



HILTI
DX 5-GR



HILTI
DX 9-ENP

SURFACE PREPARATION

CLASS	MODEL	COMMON USE
Powder Actuated Gun	HILTI DX 351-BTG	Fastening X-BT Threaded Studs
Powder Actuated Gun	HILTI DX 5-GR	Fastening gratings to steel structures, Fastening diamond plates to steel structures
Powder Actuated Gun	HILTI DX 5-MX	Fastening wood and metal sheets to concrete, masonry block and steel, 2x4s to concrete
Powder Actuated Gun	HILTI DX 9-ENP	Fastening metal roof decks to steel structures



MILWAUKEE
MXF368-1XC



HILTI
TE 1000-AVR



HILTI
TE 3000-AVR

DEMOLITION HAMMERS

CLASS	MODEL	CHUCK SIZE/TYPE
Demolition Hammer Cordless	MILWAUKEE MXF368-1XC	1-1/8"
Demolition Hammer 10 to 20 lbs Electric	HILTI TE 700-AVR	TE-Y
Demolition Hammer 25 lbs Electric	HILTI TE 800-AVR	TE-S
Demolition Hammer 25 lbs Electric	HILTI TE 1000-AVR	TE-S
Demolition Hammer, 65 lbs Electric	HILTI TE 3000-AVR	TE-H
Demolition Hammer 35 lbs Electric	DEWALT D25960K	1-1/8"
Demolition Hammer 35 lbs Electric	DEWALT TE 2000-AVR	TE-S
Breaker Hammer, 70-90 lbs/Impact - Gas	US HAMMER GB-70	1 1/8"
Breaker Hammer, 70-90 lbs/Impact - Gas	US HAMMER GB-90	1 1/8"



MILWAUKEE
2737-21



MILWAUKEE
6519-31



MILWAUKEE
2982-20

SAWS AND GRINDERS

CLASS	MODEL	SPECS
Saw Jig Electric	DEWALT DW317	Accepts T-Shank jig saw blades
Saw Jig Electric	MILWAUKEE 6268-21	Accepts T-Shank jig saw blades
Saw Jig Cordless	MILWAUKEE 2737-21	Accepts T-Shank jig saw blades
Saw Reciprocating Electric	MILWAUKEE 6519-31	3/4" stroke length
Saw Reciprocating Electric	DEWALT DWE305	1-1/8" stroke length
Saw Reciprocating Cordless	MILWAUKEE 2821-21	1-1/4" stroke length
Saw Reciprocating Cordless	MILWAUKEE 2822-22	1-1/4" stroke length
Saw Circular 7-1/4" Electric	RIDGID RV3205VN	2-3/8" depth of cut
Saw Circular 7-1/4" Electric	DEWALT DWE575	2-9/16" depth of cut
Saw Circular 10-1/4" Electric	MAKITA HS0600	3-13/16" depth of cut
Saw Circular 7-1/4" Cordless	MILWAUKEE 2631-20	2-1/2" depth of cut
Saw Circular 7-1/4" Cordless	DEWALT DCS578X1	2-9/16" depth of cut
Saw Circular 8" Metal Cordless	MILWAUKEE 2982-20	2-9/16" depth of cut
Saw Circular 7 1/4" Electric Worm Drive	DEWALT DWS535B	2-9/16" depth of cut
Saw Concrete Cut-off 16" Handheld Gas	HUSQVARNA K1270	5.7" depth of cut
Bandsaw Cordless Compact	HILTI SB 4-A22 ADV COMPACT	2-1/2" depth of cut



MILWAUKEE
2729-22HD



HILTI
AG 450-D



MILWAUKEE
2785-22HD

SAWS AND GRINDERS (CONTINUED)


CLASS	MODEL	SPECS
Bandsaw Electric Deepcut 5"	DEWALT DWM120	5" depth of cut
Bandsaw Electric Deepcut 5"	MILWAUKEE 6232-21	5" depth of cut
Bandsaw Cordless Deepcut 5"	MILWAUKEE 2729-22HD	5" depth of cut
Saw Miter 12" Compound	DEWALT DWS779	14" max cut
Chainsaw Cordless	MILWAUKEE 2727-22HD	16" Bar
Grinder Angle Cordless 4" to 5"	MILWAUKEE 2780-22HD	8,500 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	DEWALT DW831	11,000 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	DEWALT DWE402N	11,000 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	HILTI AG-450-7D	11,500 rpm
Grinder Angle Electric 4-1/2" to 5" No Lock	DEWALT DWE43214N	10,500 rpm
Grinder Angle Electric 4-1/2" to 5" w/Lock	DEWALT DWE43113	9,000 rpm
Grinder Cordless 6"	HILTI AG 600-A36	8,500 rpm
Grinder Angle Electric 6"	METABO WEPBA17-150Q	9,600 rpm
Grinder Cordless 7"	MILWAUKEE 2785-20HD	6,600 rpm
Grinder Cordless 7"	MILWAUKEE 2785-22HD	6,600 rpm
Grinder Angle Electric 7"	DEWALT DW840	8,000 rpm



SAWS AND GRINDERS (CONTINUED)

CLASS	MODEL	SPECS
Grinder Angle Electric 7"	DEWALT DWE4517	8,500 rpm
Grinder Die Electric 14,000 to 21,000 rpm	MILWAUKEE 5196	14,500 rpm
Grinder Die Electric 21,000 to 27,000 rpm	DEWALT DWE4887	25,000 rpm
Grinder Die Electric 21,000 to 27,000 rpm	MILWAUKEE 5192	21,000 rpm
Grinder Die Electric 21,000 to 27,000 rpm	MILWAUKEE 5194	21,000 rpm
Floor Grinder Dual Head Electric	EDCO 2EC-NG	231 rpm; grinds approximately 500 sq-ft per hour
Nibbler Cordless	HILTI SPN 6-A22	C.L.U. profile, Corrugated sheet, Trapezoidal sheet, Flat sheet

EquipmentShare carries a robust offering of abrasives and blades to help complete your job.





INGERSOLL RAND
W7172-K22



MILWAUKEE
2864-22



MILWAUKEE
2869-22HD

IMPACTS

CLASS	MODEL	WEIGHT
Driver Impact 1/4" Cordless	DEWALT DCF885	1,400 in-lbs
Driver Impact 1/4" Cordless	DEWALT DCF887	1,825 in-lbs
Driver Impact 1/4" Cordless	HILTI SID 4-A22	1,717 in-lbs
Driver Impact 1/4" Cordless	MILWAUKEE 2853-22	2,000 in-lbs
Wrench Impact 3/8" Cordless	DEWALT DCF883M2	1,560 in-lbs
Wrench Impact 1/2" Electric	MILWAUKEE 9071-20	300 ft-lbs
Wrench Impact 3/4" Electric	DEWALT DW294	345 ft-lbs
Wrench Impact 1/2" Cordless	MILWAUKEE 2759-B22	220 ft-lbs
Wrench Impact 1/2" Cordless	DEWALT DCF899	1,200 ft-lbs
Wrench Impact 1/2" Cordless	MILWAUKEE 2863-22	1,400 ft-lbs
Wrench Impact 1/2" Cordless	INGERSOLL RAND W7152P-K22	1,500 ft-lbs
Wrench Impact 3/4" Cordless	INGERSOLL RAND W7172-K22	1,500 ft-lbs
Wrench Impact 3/4" Cordless	MILWAUKEE 2864-22	1,500 ft-lbs
Wrench Impact 1" Cordless	MILWAUKEE 2867-22	1,800 ft-lbs
Wrench Impact 1" D-Handle Cordless	MILWAUKEE 2868-22HD	2,000 ft-lbs
Wrench Impact 1" D-Handle Cordless	MILWAUKEE 2869-22HD	2,000 ft-lbs



TOPCON
TP-L6AV



NIKON
XS5






PRUFTECHNIK
ALI 50.200

LASERS AND SURVEYING EQUIPMENT

CLASS	MODEL
Level Laser Pipe	SPECTRA DG613
Level Laser Pipe	TOPCON TP-L6AV
Laser Level, Rotating	BOSCH 360 HORIZONTAL LASER
Laser Level, Rotating	SPECTRA LL300
Level Laser Rotating	HILTI POL 10
Laser Level, Rotating	TOPCON RL-H5A
Level Laser Rotating	SOKKIA B20 32X
Laser Level, Rotating	TOPCON RL200
Laser Level, Rotating	HILTI PR30-HVS-A12
Level Laser Rotating	HILTI PR 30-HVS
Level Laser Self Leveling 5 Point	BOSCH GRL2000-40H
Level Laser Self Leveling 5 Point	FLUKE PLS5R
Level Survey Transit Optical Theodolite	JOHNSON 40-6912
Level Laser Shaft Alignment	PRUFTECHNIK ALI 50.200
Level Laser Shaft Alignment	PRUFTECHNIK ALI 50.000-FULL
Level Laser Pulley Alignment	PRUFTECHNIK ALI 2.004 SET
Survey Total Station, 5 sec	NIKON XS5
Survey Tripod	HILTI PUA 25
Survey Tripod	JOHNSON 40-6335
Survey Measuring Rod	HILTI PUA 56





SANITATION SOLUTIONS












RESTROOM CONTAINER
PSG R2U0GA






RESTROOMS						
CLASS	MODEL	DIMENSIONS	CONFIGURATION	HOLDING TANKS		
Restroom, Mobile 13 Station, 6 Urinals	NRT1376	38' x 8'4"	(10) Men, (3) Women	300 gal Fresh Water 1400 gal Waste Water		
Restroom, Mobile 13 Station, 8 Urinals	NRT1358	38' x 8'4"	(10) Men, (3) Women	300 gal Fresh Water 1400 gal Waste Water		
Restroom, Mobile 16 Station, 8 Urinals	NRT1688	40' x 8'4"	(12) Men, (4) Women	Direct Connect		
Restroom, Mobile 16 Station, 10 Urinals	NRT1610	40' x 8'4"	(0) Men, (4) Women	Direct Connect		



RESTROOMS

CLASS	MODEL	DIMENSIONS	CONFIGURATION	HOLDING TANKS
Restroom Mobile 4 Station 2 Urinals	NRT4MD	13' x 6'6"	(3) Men, (1) Women	200 gal Fresh Water 450 gal Waste Water
Restroom Mobile 4 Station 2 Urinals Exterior Sink	NRT4MDS	15 x 6'6"	(3) Men, (1) Women	200 gal Fresh Water 550 gal Waste Water
Restroom, Mobile 6 Station 3 Urinals	NRT6MD	18' x 8'4"	(5) Men, (1) Women	200 gal Fresh Water 725 gal Waste Water
Restroom, Mobile 6 Station 3 Urinals Exterior Sink	NRT6MDS	20' x 8'4"	(5) Men, (1) Women	200 gal Fresh Water 800 gal Waste Water
Restroom, Mobile 8 Station 4 Urinals	NRT8MD	21' x 8'4"	(7) Men, (1) Women	300 gal Fresh Water 800 gal Waste Water
Restroom, Mobile 8 Station 4 Urinals Exterior Sink	NRT8MDS	23' x 8'4"	(7) Men, (1) Women	300 gal Fresh Water 900 gal Waste Water
Restroom, Mobile 8 Station 4 Urinals	NRT82MDS	26' x 8'4"	(6) Men, (2) Women	300 gal Fresh Water 1075 gal Waste Water



RESTROOMS

CLASS	MODEL	DIMENSIONS	CONFIGURATION	HOLDING TANKS
Restroom Tank Box	TB20	20' x 8'	-	2100 gal Fresh Water 2100 gal Waste Water
Restroom Container 7 Station Vac	R2UIVA	20' x 8'	(7) Unisex	TB20
Restroom Container 11 Station 2 Urinals	R4U0GA	40' x 8'	(6) Men, (2) Women	TB20
Restroom Container 6 Station 2 Urinals	R2U0GA	20' x 8'	(2) Men, (1) Women	TB20
Restroom Container 8 Station w/ Tank Box	R4SIVA	40' x 8'	(8) Unisex	TB20



SATELLITE
TOILET PORTABLE



SATELLITE
HANDWASH STATION







WYLIE
EXP-550L-SPW-NSF

SANITATION

CLASS	MODEL	DOOR OPENING	CAPACITY
Toilet Portable	Global	72" x 24"	70 Gallon
Toilet Portable ADA	Freedom	80.8" x 32.7"	35 Gallon
Toilet Portable WCA	Liberty	80.8" x 32.7"	35 Gallon
Handwash Station	TAG4	-	22 Gallon (Fresh Water) 23 Gallon (Gray Water)
Tank Waste 300 Gallon	22394	-	-
Tank Water 300 Gallon	-	-	-
Tank Water 300 Gallon	T525LK	-	-
Water Trailer 500-600 Gallon Portable	EXP-550L-SPW-NSF	-	-

STORAGE, TANKS AND CONTAINERS





CONNEX OFFICE

8' X 40'





GENERIC
STORAGE CONTAINER 10'

CONNEX BOXES

CLASS	MODEL
Storage Container 40' HiCube	GENERIC 40H
Storage Container 40' HiCube Double Doors	GENERIC 40H-DD
Storage Container 40' HiCube Dual Cargo Doors	GENERIC 40H-D-CD
Storage Container 40' HiCube Triple Cargo Doors	GENERIC 40H-T-CD
Storage Container 40' HiCube Quad Cargo Doors	GENERIC 40H-Q-CD
Storage Container 40' HiCube Climate Controlled	GENERIC 40H-CC
Storage Container 40' Std	GENERIC 40S
Storage Container 40' Std Double Doors	GENERIC 40S-DD
Storage Container 20' Std	GENERIC 20S
Storage Container 20' Std Double Doors	GENERIC 20S-DD
Storage Container 20' Std Climate Controlled	GENERIC 20S-CC
Storage Container 20' HiCube	GENERIC 20H
Storage Container 20' HiCube Double Doors	GENERIC 20H-DD
Storage Container 20' Std Climate Controlled	GENERIC 20S-CC
Storage Container 10' Std	GENERIC 10S



GENERIC
CONNEX OFFICE 8'X40'



CONNEX BOXES (CONTINUED)

CLASS	MODEL
Office Ground Level Container 40' Std	GENERIC 400F
Office Ground Level Container 40' HiCube	GENERIC 400F-H
Office Ground Level Container 40' HiCube Dual Cargo Doors	GENERIC 400F-D-CD
Office Ground Level Container 40' HiCube 1 Restroom	GENERIC 400F-H-R1
Office Ground Level Container 40' Std Half Storage	GENERIC 400F-HS
Office Ground Level Container 40' Std 1 Restroom	GENERIC 400F-R1
Office Ground Level Container 20' Std	GENERIC 200F
Office Ground Level Container 20' Std Half Storage	GENERIC 200F-HS



FLUID TANKS

CLASS	MODEL
Def Tank 200–300 Gal	DYMAC ACV-DEF-211G
Def Tank 400–500 Gal	DYMAC ACV-DEF-211G
Def Tank 2,000–2,499 Gal	BENECOR XL2100PC-SPF



FUEL CELLS

CLASS	MODEL
Fuel Tank Double Wall 119 Gal	WESTERN GLOBAL FCS119
Fuel Tank Double Wall 250 Gal	WESTERN GLOBAL 10TCG
Fuel Tank Double Wall 500 Gal	UNITY BLOC 2000
Fuel Tank Double Wall 500 Gal W/ 37 Gallon DEF	LOFTIN AC-DF-475-37
Fuel Tank Double Wall 610 Gal W/ 70 Gallon DEF	UNITY BLOC 2500
Fuel Tank Double Wall 1,000–1,200 Gal	WESTERN GLOBAL 50TCG
Fuel Tank Double Wall 1,500–1,800 Gal	UNITY BLOC 6000
Fuel Tank Double Wall 2,300 Gal	WESTERN GLOBAL 100TCG
Fuel Tank Double Wall 7,000–9,999 Gal	UNITY GRANDE 30
Fuel Tank Double Wall 10,000–13,999 Gal	WESTERN GLOBAL E12000



FRAC TANKS

CLASS	MODEL
Frac Tank 21K Gal Lined Round Bottom EM	AMERATANK R21KFALRBFT
Frac Tank 21K Gal Vpr Tight Lined EM	AMERATANK R21KFALF
Frac Tank 21K Gal Vpr Tight Lined w/Coils EM	AMERATANK R21KFALFTC



TRANSFER TANKS

CLASS	MODEL
Water Tower 12,000 Gal	PINNACLE PWT1200



PINNACLE
V2254 - D






PINNACLE
P150-R3

ROLL-OFF BOXES

CLASS	MODEL
Box Roll-off 25-yd Dewatering	PINNACLE V2254-D
Box Roll-off 25-yd Metal Lid	PINNACLE L2252-FF
Box Roll-off 25-yd Tarp	PINNACLE S2252-FF
Box Roll-off 25-yd Vacuum	PINNACLE V2254-D
Roll-off Lined Poly Tank 6,300 gal	PINNACLE P150-R3


TRENCH SAFETY





TRENCH STEEL BOX

PACIFIC SHORING





TRENCH STEEL BOXES

CLASS	MODEL	PIPE CLEAR	CAPACITY	WEIGHT
Trench Box 4X12 4IN FB	4M-412	16"	2,627 psf	3,409 lbs
Trench Box 4X16 4IN FB	4M-416	16"	1,395 psf	4,248 lbs
Trench Box 4X20 4IN FB	4M-420	16"	965 psf	5,086 lbs
Trench Box 4X24 4IN FB	4M-424	16"	588 psf	5,925 lbs
Trench Box 6X12 4IN FB	4M-612	40"	2,635 psf	4,574 lbs
Trench Box 6X16 4IN FB	4M-616	40"	1,399 psf	5,771 lbs
Trench Box 6X20 4IN FB	4M-620	40"	870 psf	6,968 lbs
Trench Box 6X24 4IN FB	4M-624	40"	596 psf	8,164 lbs
Trench Box 8X8 4IN KE	4M-88	64"	2,645 psf	4,146 lbs
Trench Box 8X10 4IN KE	4M-810	64"	2,117 psf	4,743 lbs
Trench Box 8X12 4IN KE	4M-812	64"	1,764 psf	5,691 lbs
Trench Box 8X16 4IN KE	4M-816	64"	1,402 psf	7,588 lbs
Trench Box 8X20 4IN KE	4M-820	64"	1,064 psf	9,485 lbs
Trench Box 8X24 4IN KE	4M-424	64"	703 psf	11,382 lbs
Trench Box 4X16 6IN FB	6M-416	16"	2,253 psf	4,644 lbs
Trench Box 4X20 6IN FB	6M-420	16"	1,398 psf	5,591 lbs
Trench Box 4X24 6IN FB	6M-424	16"	956 psf	6,539 lbs
Trench Box 8X10 6IN KE	6M-810	64"	3,239 psf	5,524 lbs
Trench Box 8X12 6IN KE	6M-812	64"	2,547 psf	6,629 lbs

TRENCH STEEL BOXES (CONTINUED)

CLASS	MODEL	PIPE CLEAR	CAPACITY	WEIGHT
Trench Box 8X16 6IN KE	6M-816	64"	2,025 psf	8,838 lbs
Trench Box 8X20 6IN KE	6M-820	64"	1,528 psf	10,789 lbs
Trench Box 8X24 6IN KE	6M-824	64"	1,120 psf	12,170 lbs



TRENCH STEEL FRAME ALUMINUM BOXES

CLASS	MODEL	PIPE CLEAR	CAPACITY	WEIGHT
Trench SFA 4X8	SFA-48	24"	1,800 psf	1,278 lbs
Trench SFA 4X10	SFA-410	24"	1,530 psf	1,488 lbs
Trench SFA 4X12	SFA-412	24"	1,058 psf	1,633 lbs
Trench SFA 4X16	SFA-416	24"	458 psf	2,028 lbs
Trench SFA 8X8	SFA-88	44"	1,808 psf	1,855 lbs
Trench SFA 8X10	SFA-810	44"	1,441 psf	2,169 lbs
Trench SFA 8X12	SFA-812	44"	1,048 psf	2,488 lbs
Trench SFA 8X16	SFA-816	44"	707 psf	3,288 lbs
Trench SFA 8X20	SFA-820	44"	593 psf	4,088 lbs



PACIFIC SHORING
888DW - RC36

TRENCH MANHOLE BOXES				
CLASS	MODEL	PIPE CLEAR	CAPACITY	WEIGHT
Trench MHB 8X8 RC24	888DW-RC24	45"	2,799 psf	5,050 lbs
Trench MHB 8X8 RC36	888DW-RC36	45"	2,799 psf	5,175 lbs
Trench MHB 8X8 RC48	888DW-RC48	45"	2,799 psf	5,225 lbs
Trench MHB 8X10 RC24	81010DW-RC24	45"	1,795 psf	6,175 lbs
Trench MHB 8X10 RC36	81010DW-RC36	45"	1,795 psf	6,275 lbs
Trench MHB 8X10 RC48	81010DW-RC48	45"	1,795 psf	6,325 lbs
Trench MHB 8X12 RC36	81212DW-RC36	45"	1,795 psf	7,725 lbs
Trench MHB 8X12 RC48	81212DW-RC48	45"	1,795 psf	7,825 lbs


TRENCH VERTICAL SHORES		
CLASS	MODEL	RANGE
Trench HVS 17"-27"	HVS-27	17"-27"
Trench HVS 22"-36"	HVS-36	22"-36"
Trench HVS 28"-46"	HVS-46	28"-46"
Trench HVS 34"-55"	HVS-55	34"-55"
Trench HVS 40"-64"	HVS-64	40"-64"
Trench HVS 52"-88"	HVS-88	53"-88"
Trench Standard Rail	-	1.5', 3.5', 5', 7', 9', 12'



TRENCH STEEL BOXES (CONTINUED)

CLASS	MODEL	PIPE CLEAR	CAPACITY	WEIGHT
Trench Bedding Box 5YD	BB-5S	40"	13'	60"
Trench Bedding Box 7YD	BB-7S	40"	16'	60"
Trench Bedding Box 7.5YD	BB-7.5S	40"	14'	72"
Trench Bedding Box 9YD	BB-9S	44"	16'	72"
Trench Bedding Box 12YD	BB-12S	44"	16'	96"

SCAFFOLDING AND LADDERS



STEP LADDER

WERNER WRD6204



WERNER
D6220-2



WERNER
WRD6206



WERNER
WRD6108

LADDERS

CLASS	MODEL	LOAD CAPACITY
20'-32' Fiberglass Extension Ladder	WERNER	300 lbs
4'-16' Fiberglass Step Ladder	WERNER, LOUISVILLE	300 lbs



GUARDIAN
15046

RESCUE LADDER KIT

CLASS	MODEL	LOAD CAPACITY
20'	GUARDIAN 15046	620 lbs

INDUSTRIAL LINE CARD

**EquipmentShare — Your Trusted Source for MRO, Industrial
Supplies, Safety Gear, Lifting & Rigging, and Tooling**

You already count on EquipmentShare for industry-leading heavy equipment rentals — and we're just as dialed in when it comes to the tools and consumables that go with them. From the jobsite to the warehouse, we ensure you have the right equipment, the right tools and the right consumables — *right when you need them.*

We streamline your inventory to match actual job demands: no overstock, no filler — just the essentials. Backed by strong OEM partnerships and a dedicated procurement team, we secure competitive pricing, solid availability and shorter lead times to keep your operations moving efficiently.

Next time you rent heavy equipment — *or even when you don't* — make EquipmentShare your one-stop source for all the tools and supplies that go with it.

ONE ORDER, ONE DELIVERY, TOTAL JOBSITE READINESS.



ABRASIVES & CUTTING TOOLS

- Annular Cutters
- Bandsaw Blades
- Carbide Burrs
- Cone Rocks
- Counter Sinks
- Diamond Blades
- Dies
- Drill Bits
- Emery Cloths
- Flap Discs
- Flap Wheels
- Grinding Wheels
- Hole Saws
- Mounted Points
- Recip Blades
- Taps
- Wire Brushes
- Wire Wheels

ELECTRICIAN TOOLS

- Cable Cutters
- Cable Pullers
- Conduit Benders
- Crimpers
- Dies
- Fish Tapes
- Knockout Punch Sets
- Reel Stands
- Sheaves
- Voltage Meters

HAND TOOLS

- Benders
- Bolt Cutters
- C-Clamp
- Chalk Lines
- Chisels
- Files
- Hammers
- Hex Keys
- Levels
- Pipe Cutters
- Pliers
- Punches
- Pry Bars
- Rakes
- Ratchets
- Reamers
- Saws
- Scoops
- Scrapers
- Screwdrivers
- Shovels
- Snips
- Sockets
- Striking Tools
- Squares
- Tape Measures
- Threaders
- Torque Wrenches
- Visers
- Wedges

LUBRICANTS, SEALANTS & PAINTS

- Anti-Seize
- Brake Cleaner
- Contact Cleaner
- Corrosion Inhibitors
- Cutting Fluids
- Degreasers
- Galvanizing Compounds
- Gasket Makers
- Lubricants
- Paints
- Penetrants
- Rust Inhibitors
- Thread Sealants

MAINTENANCE & REPAIR

- Air Fittings
- Brooms
- Brushes
- Buckets
- Cable Grips
- Cable Ties
- Camlocks
- Drum Liners
- Grease Guns
- Hand Cleaners
- Hoses
- Ladders
- Mops
- Pails
- Ropes
- Scoops
- Strap Binders
- Tapes
- Tarps
- Tie Wire
- Wheel-Barrows

PLUMBING TOOLS

- Chain Visers
- Oilers
- Pipe Cutters
- Pipe Threaders
- Pipe Wrenches
- Power Threaders
- Oilers
- Tubing Cutters

PNEUMATIC TOOLS

- Air Movers
- Bandsaws
- Chipping Hammers
- Drills
- Hacksaws
- Impact Wrenches
- Grinders
- Needle Scalers
- Ratchets
- Rivet Busters

POWER EQUIPMENT

- Generators
- Pressure Washers
- Rammers
- Sandblasting Equipment

POWER TOOLS

- Bandsaws
- Chop Saws
- Drills
- Grinders
- Hammer Drills
- Impact Drivers
- Sanders
- Reciprocating Saws

RIGGING

- Chain Hoists
- Clamps
- Lever Hoists
- Pulleys
- Shackles
- Sheaves
- Slings
- Spreader Bars
- Trolleys
- Turnbuckles

SAFETY, PPE, FALL PROTECTION & HYDRATION

- Coveralls
- Dust Masks
- Ear Plugs
- Eyewash
- Face Shields
- First-Aid Kits
- Gas Monitors
- Gloves
- Goggles
- Hard Hats
- Harnesses
- Hydration Products
- Lanyards
- Lens Cleaners
- Rainwear
- Safety Glasses
- Safety Vests

STORAGE & SECURITY

- Jobsite Boxes
- Lockout Hasps
- Lockout Stations
- LOTO Locks
- Padlocks

WELDING

- Beveling Machines
- Cutting Tips
- Electrodes
- Flow Meters
- Ground Clamps
- Heating Nozzles
- Lens Covers
- Markers
- Regulators
- Spot Check
- Strikers
- Temp Sticks
- Tip Cleaners
- Torches
- Welding Machines





GEAR UP

When you add EquipmentShare's GEARHUB™ industrial vending machines to your jobsite, you unlock productivity. Each GEARHUB machine is a customizable source of supplies and tools. By scanning a badge or entering a code, your workers can quickly grab what they need — whether it's PPE, hardware or small tools — and get back to work. Best of all, EquipmentShare delivers and stocks your GEARHUB at no cost. You are only billed for the items your workers select for purchase or rent.

GEARHUB + T3®

Your GEARHUB can connect to T3, the EquipmentShare award-winning operating system. This means you get T3 benefits: utilization-based billing on rentals, management of ANSI compliance and certifications, and complete visibility into which GEARHUB items have been bought or rented and by whom.

GEARHUB ADVANTAGES

- + Reduce your inventory
- + Eliminate spending on unused items
- + Minimize downtime
- + Purchase consumables or rent tools

GET GEARED

Contact your EquipmentShare sales rep to learn more about GEARHUB.



PRODUCT: MILWAUKEE 5268-21

DESCRIPTION: 1-1/8" SDS PLUS ROTARY HAMMER KIT

PRICE: \$20 / DAY

RENT NOW





PRODUCT: METAL COIL NAILS (2700 PER BOX)

DESCRIPTION: 3 IN. X 0.120 IN. 15° COIL NAILS

PRICE: \$74.98

[BUY NOW](#)



PRODUCT: IRONCLAD KONG PRO A6

DESCRIPTION: CUT LEVEL GLOVES

PRICE: \$36.37

[BUY NOW](#)



PRODUCT: MILWAUKEE 2785-22HD

DESCRIPTION: GRINDER CORDLESS 7"

PRICE: \$20 / DAY

[RENT NOW](#)

HUNDREDS OF LOCATIONS AND

GROWING NATIONWIDE



SCAN FOR THE MOST
UP-TO-DATE LOCATIONS LIST.

WEB
EQUIPMENTSHARE.COM

TEL
(888) 80-RENTS

Follow us on social media:

